


What's New

Autodesk®



© 2007 Autodesk, Inc. All rights reserved. Except as otherwise permitted by Autodesk, Inc., this publication, or parts thereof, may not be reproduced in any form, by any method, for any purpose.

Certain materials included in this publication are reprinted with the permission of the copyright holder.

Portions of this software are copyright © 2.1.19 The FreeType Project (www.freetype.org). All rights reserved.

Portions relating to Python version 2.3.3 Copyright © 2001, 2002, 2003 Python Software Foundation; All Rights Reserved.

Portions relating to Python version 2.1.1 Copyright © 2001 Python Software Foundation; All Rights Reserved.

Portions relating to libxalan-c version 1.8.0 are copyright Apache version 2.0 Copyright 2004 The Apache Software Foundation. Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0>. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>).

THIS PRODUCT IS LICENSED UNDER THE MPEG-4 VISUAL PATENT LICENSE PORTFOLIO LICENSE FOR THE PERSONAL AND NON-COMMERCIAL USE OF A CONSUMER FOR (i) ENCODING VIDEO IN COMPLIANCE WITH THE MPEG-4 VISUAL STANDARD ("MPEG-4 VIDEO") AND/OR (ii) DECODING MPEG-4 VIDEO THAT WAS ENCODED BY A CONSUMER ENGAGED IN A PERSONAL AND NON-COMMERCIAL ACTIVITY AND/OR WAS OBTAINED FROM A VIDEO PROVIDED LICENSED BY MPEG LA TO PROVIDE MPEG-4 VIDEO. NO LICENSE IS GRANTED OR SHALL BE IMPLIED FOR ANY OTHER USE. ADDITIONAL INFORMATION INCLUDING THAT RELATING TO PROMOTIONAL, INTERNAL USES AND LICENSING MAY BE OBTAINED FROM MPEG LA, LLC. SEE [HTTP://WWW.MPEGLA.COM](http://WWW.MPEGLA.COM).

THIS PRODUCT IS LICENSED UNDER THE MPEG-2 PATENT PORTFOLIO LICENSE ANY USE OF THIS PRODUCT OTHER THAN CONSUMER PERSONAL USE IN ANY MANNER THAT COMPLIES WITH THE MPEG-2 STANDARD FOR ENCODING VIDEO INFORMATION FOR PACKAGED MEDIA IS EXPRESSLY PROHIBITED WITHOUT A LICENSE UNDER APPLICABLE PATENTS IN THE MPEG-2 PATENT PORTFOLIO, WHICH LICENSE IS AVAILABLE FROM MPEG LA, L.L.C., 250 STEELE STREET, SUITE 300, DENVER, COLORADO 80206.

Portions relating to libffmpeg Copyright © 2003-2006, Fabrice Bellard.

Portions relating to ALSA version 1.0.6 Copyright © 2004 Jaroslav Kysela, Abramo Bagnara, Takashi Iwai, and Frank van de Pol.

Powered by Automatic Duck. © 2006 Automatic Duck, Inc. All rights reserved.

Portions relating to Audiobogus Copyright © 1998-1999, Michael Pruett (michael@68k.org).

Portions relating to xxdiff Copyright © 1999-2004, Martin Blais. All Rights Reserved.

Portions relating to Audiofile 0.2.6, Open Inventor 2.1.5-9, and LibImageDL software are Copyright © 1991, 1999 Free Software Foundation, Inc.

Portions relating to Glew Copyright (c) 1991-9 Silicon Graphics, Inc. All Rights Reserved.

Portions relating to Mesa Copyright ©1999-2007 Brian Paul. All Rights Reserved. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions: The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software. THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL BRIAN PAUL BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Portions relating to OpenExr 1.2.1 Copyright (c) 2004, Industrial Light & Magic, a division of Lucasfilm Entertainment Company Ltd. Portions contributed and copyright held by others as indicated. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. Neither the name of Industrial Light & Magic nor the names of any other contributors to this software may be used to endorse or promote products derived from this software without specific prior written permission. THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Portions relating to Libpopt Copyright ©1998 Red Hat Software. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions: The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software. THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE. Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

Portions relating to DIRAC Time Stretch/Pitch Shift technology licensed from The DSP Dimension, <http://www.dspdimension.com> Developed and (c) 2005 Stephan M. Bernsee

Portions relating to Berkeley DB software Copyright ©1990-2002, Sleepycat Software. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. 3. Redistributions in any form must be accompanied by information on how to obtain complete source code for the DB software and any accompanying software that uses the DB software. The source code must either be included in the distribution or be available for no more than the cost of distribution plus a nominal fee, and must be freely redistributable under reasonable conditions. For an executable file, complete source code means the source code for all modules it contains. It does not include source code for modules or files that typically accompany the major components of the operating system on which the executable file runs. THIS SOFTWARE IS PROVIDED BY SLEEPYCAT SOFTWARE "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT, ARE DISCLAIMED. IN NO EVENT SHALL SLEEPYCAT SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Portions copyright 1991-2006 Compuware Corporation.

Trademarks

The following are registered trademarks or trademarks of Autodesk, Inc., in the USA and other countries: 3DEC (design/logo), 3December, 3December.com, 3ds Max, ActiveShapes, Actrix, ADI, Alias, Alias (swirl design/logo), AliasStudio, Alias|Wavefront (design/logo), ATC, AUGI, AutoCAD, AutoCAD Learning Assistance, AutoCAD LT, AutoCAD Simulator, AutoCAD SQL Extension, AutoCAD SQL Interface, Autodesk, Autodesk Envision, Autodesk Insight, Autodesk Intent, Autodesk Inventor, Autodesk Map, Autodesk MapGuide, Autodesk Streamline, AutoLISP, AutoSnap, AutoSketch, AutoTrack, Backdraft, Built with ObjectARX (logo), Burn, Buzzsaw, CAiCE, Can You Imagine, Character Studio, Cinestream, Civil 3D, Cleaner, Cleaner Central, ClearScale, Colour Warper, Combustion, Communication Specification, Constructware, Content Explorer, Create>what's>Next> (design/logo), Dancing Baby (image), DesignCenter, Design Doctor, Designer's Toolkit, DesignKids, DesignProf, DesignServer, DesignStudio, Design|Studio (design/logo), Design Your World, Design Your World (design/logo), DWE, DWG, DWG (logo), DWG TrueConvert, DWG TrueView, DXF, EditDV, Education by Design, Extending the Design Team, FBX, Filmbox, FMDesktop, Freewheel, GDX Driver, Gmax, Heads-up Design, Heidi, HOOPS, HumanIK, i-drop, iMOUT, Incinerator, IntroDV, Inventor, Inventor LT, Kaydara, Kaydara (design/logo), LocationLogic, Lustre, Maya, Mechanical Desktop, MotionBuilder, ObjectARX, ObjectDBX, Open Reality, PolarSnap, PortfolioWall, Powered with Autodesk Technology, Productstream, ProjectPoint, Reactor, RealDWG, Real-time Roto, Render Queue, Revit, Showcase, SketchBook, StudioTools, Topobase, Toxik, Visual, Visual Bridge, Visual Construction, Visual Drainage, Visual Hydro, Visual Landscape, Visual Roads, Visual Survey, Visual Syllabus, Visual Toolbox, Visual Tugboat, Visual LISP, Voice Reality, Volo, and Wiretap.

The following are registered trademarks or trademarks of Autodesk Canada Co. in the USA and/or Canada and other countries: Backburner, Discreet, Fire, Flame, Flint, Frost, Inferno, Multi-Master Editing, River, Smoke, Sparks, Stone, Wire.

Automatic Duck and the duck logo are trademarks of Automatic Duck, Inc. All other brand names, product names or trademarks belong to their respective holders.

Disclaimer

THIS PUBLICATION AND THE INFORMATION CONTAINED HEREIN IS MADE AVAILABLE BY AUTODESK, INC. "AS IS." AUTODESK, INC., DISCLAIMS ALL WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE REGARDING THESE MATERIALS.

Published by:

Autodesk, Inc.

111 McInnis Parkway

San Rafael, CA 94903, USA

Title: Autodesk Inferno 2008 What's New

Document Version: 1

Date: September 14, 2007

What's New

Summary

Action	2
Animation	2
Audio Features	3
Batch	3
Batch Timeline Editing	5
Clip History	8
Clip Input and Output	9
Clip Library: Processing Segment Effects	9
Desktop	9
EDL Support	9
Hot Keys	10
Import/Export Media Features	10
Managing Hot Keys	10
Managing Projects and Users	11
Mix Node Operations Moved to the Logic Ops Module	11
Modular Keyer	11
Online Help and Documentation	11
OpenEXR Image Files	12
Preferences	14
Stabilizer	14
Starting Inferno	14
Timeline in Player Module	14
Tooltips	15
Widescreen Menus	15
Infrastructure	15

Action

Many new features have been implemented in the Action module to help your workflow and improve the interoperability between Editing and Effects products.

The following list some of the highlights of the updated Action module.

- The new Object Node bin allows you to easily add objects to the scene.
- Object menus are tabbed to give you more control over changing settings of the elements in your scene.
- The DVE Layer Object is a new object providing similar functionality to the DVE layer from earlier versions of Editing products.
- You can now enter Action from a multitrack clip.
- You can now change Z-buffer and depth of field settings per source node. You can also choose to process certain effects before or after a source node.
- A new mode allows you to duplicate objects in your scene so that any settings that you apply to one object are applied automatically to the other.
- You can now import multiple 3D models into an animated sequence.
- New camera edit modes, such as dolly and tilt, have been added.
- The 3D tracker has been redesigned to offer a faster and more effective analysis to extract camera motion information from a live action shot. You have the choice of using the manual 3D tracker or the new auto tracker. With the auto tracker, you can export your tracking results to the *.fbx* format.
- You can now lock a shadow's transparency to the transparency of its parent surface using the Transparency Lock button in the Action Shadow menu.

For complete details, see the Action chapters, starting with the “Action: Basics” chapter.

Animation

The Animation menu has been standardized across all Editing and Effects products, allowing you to more easily orient yourself between applications. See the “Animation” chapter.

Audio Features

Inferno now supports a variety of new and expanded audio features:

- Soft effects that can be applied to audio segments in the timeline. These include: Modulation, Delay, Reverb, Gain, EQ, Compression, Noise Gate, and Audio Timewarp. You can apply these effects on the fly.
- The EQ, Compression, and Noise Gate soft effects can be adjusted through graphical displays.
- Audio soft effects are real-time effects so you can, for example, edit, create, and mute them while playing them in real time. For more information, see “Working with Audio in the Timeline” in the “Audio” chapter.
- In the AudioDesk, you can adjust Gain, Pan, Mute, Phase Shift, and Solo settings for up to 32 individual input strips, and you can adjust the output Gain and Limiting for up to 8 output strips.
- In the new Auxiliary Effects Desk, you can adjust global settings for the Modulation, Delay, and Reverb auxiliary effects.
- Dolby E encoded tracks are now supported.
- You can now import audio and export audio from the Library menu.
- In Batch, you can now use the same enhanced tools in the Audio menu and in the Batch timeline to work with audio.

See the “Audio” chapter.

Batch

The following changes now apply in Batch.

Floating-Point Image Support

Floating-point images in the OpenEXR file format can be added to a Batch processing tree. Some nodes can be connected immediately downstream of a clip, while others must first be attached to a LUT Editor node to convert it to an integer image. See “OpenEXR Image Files”.

Defining Missing Media

You can define how missing media in a clip is processed by a node. In the Basic menu, the Tail Media, Gap Media, and Head Media options determine how missing media is processed at the beginning, middle, and end of a clip, respectively.

See “Defining Missing Media Output” in the “Batch Processing” chapter and “Managing Missing Media Output” in the “Batch: Node Reference” chapter.

There are nodes that exhibit special behaviours for No Media clips. See the “Batch: Node Reference” chapter.

Breaking and Attaching Connections

You can now combine the operation of breaking a connection to a node and attaching a connection from the same source node or clip to a new input. See “Connecting Clips and Nodes” in the “Batch Processing” chapter.

Renamed Batch Nodes

The following nodes have been renamed.

Old Node Name	New Node Name
Reels	Desk
Film Compress	Remove Pulldown
Film Expand	Add Pulldown

Colour Curves Node

You can now save and load Colour Curves setups directly in Batch. See “Colour Curves Node” in the “Batch: Node Reference” chapter.

Logic Op Node

The Mix node has been removed and its features have been incorporated into Blend, Add, and Add Inverse options of the Logic Op node. See “Logic Op Node” in the “Batch: Node Reference” chapter.

LUT Editor Node

You can now convert an OpenEXR image using EXR Display in the LUT Editor node. See “LUT Editor Node” in the “Batch: Node Reference” chapter.

Motion Analysis Node

The Motion Analysis node is used to analyse image displacement in a frame with respect to the frame before it. From this node, forward and backward motion data can be input into the Vector Viewer node or Motion Blur node.

See “Motion Analysis Node” in the “Batch: Node Reference” chapter and “Motion Estimation Using Batch Nodes” in the “Timewarps” chapter.

Motion Blur Node

The Motion Blur node is used to create a motion-estimated motion blur. You can also create a timewarp, or select a point of reference in a clip and create a motion blur that is relative to the displacement of a selected reference point in the frame. See “Motion Blur Node” in the “Batch: Node Reference” chapter and “Motion Estimation Using Batch Nodes” in the “Timewarps” chapter.

Paint Node

The Paint node has simplified the painting process in Batch. You now input a single front and matte layer, which are output as a result and matte output layer. You can paint on the result and output matte using paint operations such as Clone and Blur. Batch Paint also allows you to connect multiple sources and use them to paint the contents of source images onto the result using the Reveal operation. See the “Batch Paint” chapter.

Segment FX Node

You can now edit a segment’s LUT and Resize settings. See “Segment FX Node” in the “Batch: Node Reference” chapter.

Vector Viewer Node

The Vector Viewer node displays motion analysis data as motion vectors. You can view forward and backward motion vectors, and customize the colour and size of the vectors to make them easier to view. The arrow length indicates displacement, and the size of the arrowhead indicates the relative speed of the motion. See “Vector Viewer Node” in the “Batch: Node Reference” chapter and “Motion Estimation Using Batch Nodes” in the “Timewarps” chapter.

Batch Timeline Editing

The following features are now supported when editing with the Batch timeline. Some features enhance editing with the Batch timeline; others improve clip interoperability between Effects and Editing products.

Accessing the Batch Timeline

The method for accessing the Batch timeline has changed slightly. To accommodate new features, many of the buttons in the Batch timeline menu have been reorganized. See “Accessing the Timeline” in the “Navigating the Timeline” chapter.

Managing Time in Batch

When editing with the Batch timeline, you have the option of working with Batch timecode or with a clip's record timecode. Working with Batch timecode is useful when multiple clips of different origins are used in Batch. Working with a clip's record timecode is useful when clips from the same timeline are used in Batch.

You can also offset the starting frame of a clip using the Offset field. This feature replaces the Slip field in the Basic menu.

See “Setting the Starting Frame in Batch” in the “Navigating the Timeline” chapter.

Editing with Source and Record Clips

It is now easier to edit with source and record clips in Batch. When editing part of a source clip into a record clip, the current time position of the source clip serves as an implicit in point. To help keep track of the frames you want to edit, you can display the source clip and the record clip in the viewports as you edit.

See “Setting Record and Source Clips” in the “Editing to the Batch Timeline” chapter.

Managing Edited Clips

When editing clips in Batch, you now have the option of automatically saving the modified clip to the desktop or to the _Edited library. Saving to the desktop is more convenient if you plan to continue editing the clip.

See “Managing Edited Clips in Batch” in the “Managing Timeline Media” chapter.

Multi-track Timelines

The Batch timeline now supports multiple video tracks and up to 32 audio tracks. Having multiple video tracks on the same timeline is useful if you need quick access to different versions of your work.

See “Track Basics” in “Navigating the Timeline” chapter and “Working with Audio in the Timeline” in the “Audio” chapter.

Multi-layer Timelines

The Batch timeline now supports multiple layers for vertical editing. You can either add layers to a track or load a clip that contains multiple layers. If you load a multi-layer clip from an Editing product, any compositing done between the timeline layers is preserved. You can edit the layers that make up the composite and then send the modified clip back to the Editing product.

See “Creating Layers” in the “Vertical Editing” chapter.

Containers

The Batch timeline now supports containers. Containers are a way of grouping elements from different layers or tracks into one unit. You can edit layers as one unit or enter the Container Editor to edit the individual layers.

See “Working with Containers” in the “Vertical Editing” chapter.

Creating Soft Effects on the Batch Timeline

All soft effects created in Autodesk® Editing products are now supported on the Batch timeline. In addition, you can create Resize, Blend, and Timewarp soft effects directly on the Batch timeline. Soft effects are similar to segment effects in that they are applied to the timeline. Whereas segment effects can only be created on an individual clip’s timeline, soft effects can be created directly on the main Batch timeline as well as on an individual clip’s timeline.

Soft effects from Editing products can be copied to other segments, rendered, deleted, and temporarily turned off. Resize, Blend, and Timewarp soft effects can also be edited.

See the “Batch Timeline Effects” chapter.

Gaps

The Batch timeline now supports transparent gaps. With transparent gaps, you can perform vertical editing, for example, to see through one empty layer to another. You can also create gap effects such as Resize and Blend, or load a clip with a gap effect from an Editing product.

See “Controlling the Transparency of Gaps” in the “Vertical Editing” chapter.

Viewing Segment Effects in Context

When creating segment effects, you now have additional context views in which to work. You can display the result of the current timeline’s segment effect in context of all segments effects further up in the pipeline. You can also display the result of the current timeline’s segment effect in context of all segment effects in the pipeline.

See “Viewing Segment Effects in Context” in the “Batch Timeline Effects” chapter.

Processing

The following processing features are now supported in Inferno:

- You can now process segments effects from the desktop without going back into Batch.
- You can now process to Burn™ from the Batch timeline. This option is useful if you have many segment effects to process.

See “Processing Timeline Effects” in the “Processing and Publishing” chapter.

Searching for Timeline Elements

You can now use Filter Select options to find specific video or audio elements on the timeline. You can refine your search if you are searching specifically on segments.

See “Searching for Timeline Elements” in the “Navigating the Timeline” chapter.

Timeline: Partial Rendering

You can now render selected frames of a video segment on the timeline instead of the entire segment. When you later render the timeline, any frames already rendered are not rendered again. Frames viewed while in Preview Fx mode are now cached.

See “Partial Rendering of the Timeline” in the “Managing Timeline Media” chapter.

Snapping to Timeline Elements

When you insert edits on the Batch timeline gesturally, you now have more control of where your edits will go. New Snap options allow you to snap to in or out points or to the closest element.

You can also display a phantom of the segment as a preview of where your edit will be placed when moving segments on the same track. The phantom segment appears in all Snap modes including when Snap is off.

See “Setting Snap Options” and “Previewing the Placement of Shots on the Timeline” in the “Editing to the Batch Timeline” chapter.

Swapping Timeline Elements

You can now swap elements on the Batch timeline using hot keys instead of moving them gesturally. If the elements contain timeline effects, they are swapped as well.

See “Swapping Batch Timeline Elements” in the “Navigating the Timeline” chapter.

Clip History

The following changes in clip history now apply to Inferno .

- Fire® and Smoke® support clips created with the desktop Action module in Inferno®, Flint®, and Flame®.
- Inferno, Flint, and Flame support clips created with the DVE module in Fire and Smoke.
- In Fire and Smoke, you can view the icons of modules downstream of an ineditable module for a clip created Inferno, Flint and Flame.

See “About Clip History” and “Compatibility between Autodesk Products” in the “Clip History” chapter.

Clip Input and Output

The 2007 release of Inferno included important improvements to multi-format input/output. These included sync detection and the ability to change preview timing and switch VTRs during a work session. The 2008 release extends these enhancements. See “Working with Multi-Format Input and Output” in the “Clip Input/Output Using a VTR” chapter.

The controls for adjusting audio gain during input have been removed. This is because you can now manipulate audio after capture using the many new audio features in this release. See the “Audio” chapter.

The documentation has been modified to better explain the principles behind capturing with headroom and conserving super black and super white values. See “Inputting and Outputting with Headroom” in the “Clip Input/Output Using a VTR” chapter.

Clip Library: Processing Segment Effects

When you process clips from the clip library, unprocessed segment effects will also be processed. When you are in the clip library, you can process clips from the Rendering Tools menu, which you access from the Tools menu.

Desktop

Display options for reels are now available on the desktop, including direction, clip spacing, and number of reels. See “Setting Display Options for Reels” in “The Desktop” chapter.

You can now add notes to clips on the desktop. See “Adding Notes to Clips” in “The Desktop” chapter.

EDL Support

The following changes in EDL support apply to Inferno:

- You can now assemble multiple EDLs in Inferno. See the “Importing EDL Files” chapter.
- You can now import AAF and FCP XML files. See the “Importing AAF Files” chapter and the “Importing Final Cut Pro XML” chapter.

Hot Keys

The following hot keys are new when working with record and source clips in the Batch timeline:

- Press **F7** to display Source view.
- Press **F8** to display Record view.
- Press **ALT+SHIFT+1** to display C:Main level.
- Press **ALT+SHIFT+2** to display C:Level-up view.

A new hot key combination has been created for zooming in and out of viewports. The hot key combination is **CTRL+SPACEBAR**.

NOTE: In the Text module, this new zoom hot key replaces the pan hot key. The new hot key for panning in Text is **CTRL+SHIFT+SPACEBAR**. In a module's animation view, the new zoom hot key replaces the **ALT** hot key.

The following general hot keys have been modified:

- The hot key for accessing the message history has been changed from **F7** to **CTRL+ALT+F7**.
- The hot key for accessing the Hot Key Editor has been changed from **F8** to **CTRL+ALT+F8**.

Import/Export Media Features

Inferno now supports a number of new import and export features for media files:

- Import and export of floating-point OpenEXR images is now supported.
- The import options for DPX files have been improved.
- There are now reorganized chapters for Importing Media Files and Exporting Media Files, which makes it easier to find the information you need.

See the “Importing Media Files” chapter and the “Exporting Media Files” chapter.

Managing Hot Keys

In the Hot Key Editor you can now select what type of keyboard you are using to take advantage of extra keys on certain keyboards. See “Selecting Your Keyboard Type” in the “Managing Hot Keys” chapter.

Managing Projects and Users

You can now access projects on remote framestore from all Editing and Effects applications. Previously, you could only do this with Backdraft® Conform. See “Working with Remote Framestores” in the “Managing Projects and Users” chapter.

Clips are now compatible between Editing and Effects applications. You can open and render clips created in any Editing or Effects application. You can see the result of all effects and edits in the clips as they were created in the source application.

However, to edit a clip, the effect or edit used to create the clip must be available in the application you are working in. Otherwise, you can only edit the clip in the Editing or Effects application that created it.

Mix Node Operations Moved to the Logic Ops Module

The Mix Node has been removed. The Non Additive and Inverse Non Additive operations are now available from the Logic Ops module.

You can open Mix Node setups in Logic Ops node. Mix setups are mapped to the following logical operations:

The Mix Node operation:	Is mapped to the following logical operation:
Additive	Blend
Non Additive	Non Additive
Inverse Non Additive	Inverse Non Additive

The Progressive/Interlace parameter is ignored and the Mix percentage value is mapped to the transparency value in Logic Ops.

Modular Keyer

You can now save and reload certain individual nodes, as well as view menus for them. This applies to Colour Warper™, Colour Correct, LUT Editor, Regrain, Degrain, and GMask. See “Saving Individual Nodes” in the “Modular Keyer” chapter.

Online Help and Documentation

Online help and documentation is now available right from the Desktop. See “Accessing Online Help and Documentation” in the “Getting Started” chapter.

OpenEXR Image Files

Inferno supports the OpenEXR file format. This file format can store 16 or 32-bit floating-point image data; all OpenEXR files are converted to 16 bits when stored on the framestore.

Advantages of the OpenEXR format include a high dynamic range, high-quality colour resolution and portability.

From the desktop or Batch, you can convert OpenEXR files using the LUT Editor. You can alter image channel values; however, you cannot alter the original file.

You can convert the output of an OpenEXR image to an integer image with a bit depth of 8, 10, or 12 bits. You still have the option of exporting to a new 16-bit floating point image.

See “Converting an OpenEXR Image in the LUT Editor” in the “Colour Management with LUTs” chapter.

OpenEXR-formatted clips can be loaded from the desktop or imported from the library into Batch. See “Using OpenEXR Images in Batch” in the “Batch Processing” chapter.

Operations Supporting OpenEXR

The following modules and operations support OpenEXR images:

- Add Pulldown
- Archive
- Batch (see “Using OpenEXR Images in Batch” in the “Batch Processing” chapter.)
- Change TC/KC/Rate
- Deal
- Deinterlace
- Dominance
- Export Image
- Extract Proxies
- Field Merge
- Import Image
- Interlace
- Interleave
- LUT
- Output
- Regenerate Proxies

- Remove Pulldown
- Resize
- Sparks® (if the selected spark allows support of OpenEXR images)

Editing Operations Supporting OpenEXR

OpenEXR-formatted clips can be edited on the timeline. Three types of soft effects are supported when using OpenEXR-formatted clips: Resize, Blend and Timewarp.

The following Edit menu operations can be performed on OpenEXR-formatted clips.

- Commit
- Consolidate
- Cut
- Dissolve
- Force Render
- Insert
- Match Source
- Repeat
- Replace
- Splice
- Swap Shot
- Timewarp

Nodes Supporting OpenEXR Images

The following Batch nodes support floating point data, allowing you to connect an OpenEXR image stored at 16 bits to the node directly:

- Add Pulldown
- Deal
- Deinterlace
- Export
- Field Merge
- Import
- Interlace
- LUT Editor

- Motion Analysis
- Motion Blur
- MUX
- Output
- Remove Pulldown
- Resize
- Spark (if the selected spark allows support of OpenEXR images)
- Vector Viewer

Preferences

The Preferences menu has been redesigned to group common preferences in tabbed sections. You can access the Preferences menu by clicking Preferences on the desktop or by using the new hot key **CTRL+ALT+F6** from anywhere in the application. See the “Setting Preferences” chapter.

Stabilizer

When you access the 2D Tracker or Stabilizer from Action, you can now track on the result from Action by enabling the Context button. See “Stabilizing a Clip from Action” in the “Tracking and Stabilizing” chapter.

Starting Inferno

The start-up process across all Editing and Effects applications is now the same. See the “Command Line Start-up and Exit Options” chapter.

Timeline in Player Module

You can now view a clip's timeline in the Player module. The EditReel option has been removed. Timeline controls are available in the Preferences menu.

See “Playing Clips in the Player” in the “Player Essentials” chapter. See also the “Navigating the Timeline” chapter.

Tooltips

Tooltips display the keyboard shortcut and a brief description for objects (like buttons) on the user interface. They are now available in the following modules:

- Action
- Audio
- Batch
- Batch Paint
- Clip Library
- Clip History
- Desktop
- EDLs
- Export Media Files
- Import Media Files
- Player
- Timeline

You can set tooltip display options in the Preferences menu. See “Tooltips Preferences” in the “Setting Preferences” chapter .

Widescreen Menus

Many of the menus in the application have been redesigned to take advantage of 16:9 monitors. As a result, buttons have been repositioned to make better use of the screen size and improve the access to commands.

Infrastructure

This section contains a list of new infrastructure features for this release.

Standard Filesystem Support

Standard filesystem support provides the option to store the media created and managed by any Effects and Editing application on a standard UNIX-compatible filesystem. This capability is transparent to the artist, as the clip libraries workflow and procedures remain unchanged. Clip libraries and the clips they contain can be manipulated in exactly the same manner, whether they are referencing media stored on a Stone® FS or a standard FS.

As opposed to the Stone FS proprietary filesystem, which provides guaranteed performance for real-time operations such as Video I/O, a standard FS is by definition open and therefore ideal to enable shared media access to several creative applications without needing to transfer and replicate media files. Standard FS support also allows Effects and Editing applications to access third-party storage infrastructure, such as SAN, NAS, or Direct attached RAID arrays, as their main media storage volume.

Highlights

- Supported UNIX-compatible filesystems can be used for media storage in the same capacity as a Stone FS.
- There are no operational changes to the Effects and Editing applications. From the artist's perspective, standard FS support is transparent and identical to the existing Stone FS based workflow.
- When stored on a standard FS volume, all clip material in a project, such as managed sources, intermediates, and proxies, can be stored in any one of the supported standard file formats, including DPX and RAW. The preferred file format is user defineable for each standard FS volume.
- Stone FS and standard FS partitions can co-exist on a workstation and can be mounted simultaneously.
- Multiple workstations and applications can connect to a shared storage volume (usually a SAN) and share media.
- Shared volume configurations obtain significant workflow improvements, saving time on publish and soft-import operations and avoiding needless media replication.

Volume Integrity Check (VIC) Performance Improvements

Major VIC performance improvements can be seen on a Stone FS volume. Even more dramatic is the performance improvement of the VIC over-soft imported media. This is due to a complete redesign of the soft-import links mechanism.

NOTE: The redesign of the soft-import link mechanism breaks backward compatibility for soft-imported media created on previous versions of Effects and Editing applications. Such soft-imported media will have to be reimported or restored from archives before being available to the 2008 version of the applications. Consult the Release Notes for your product for details and guidelines on preparing soft-imported media for the upgrade to 2008.

Wiretap SDK Version 2008.1

This release also includes an update to the Wiretap™ SDK version 2008.1, which introduces the following new features:

Support for Floating Point Images

Now that Effects and Editing applications work natively with floating point images, the Wiretap server serves up and accepts raw float and half-float media. New format tags (available through WiretapClipFormat) have been added.

Ability to Access All Project and User Metadata

New samples (copyProject.cpp and copyUser.cpp) have been created to show how to access all ASCII and binary user preferences and project setup files, along with existing project and user metadata. Wiretap clients can now copy or move projects and users between stations using the new Wiretap Stream API.

Wiretap Web Now Part of the SDK

The Wiretap Web Server will be bundled with the SDK as of the 2008 release. It will also still exist as a separate RPM package.

NOTE: The Wiretap SDK is available at no cost for in-house development and under a special license for third-party development organization. Contact your sales representative for information.

New Wiretap SDK 2008 Documentation

The Wiretap SDK documentation has been updated and now features the following improvements:

- Complete structure change of the guide making it easier for new developers to get started and for advanced developers to find what they want. The guide has much more content than the previous version.
- Improved diagrams
- Full XML metadata tag descriptions, especially for project and user metadata
- Full description of the Stone video frame formats including 12-bit packed/compressed frames
- Improved documentation in the sample code, aligned with terminology in the guide
- Fully functional Microsoft® Visual Studio sample project
- C++ Command-line build parameters for all platforms
- Complete and up-to-date Doxygen-generated HTML reference guide

