

Autodesk®
Smoke® 2009

A Discreet® Systems product

Hotkey Reference Guide



Autodesk®

© 2008 Autodesk, Inc./Autodesk Canada Co. All rights reserved. Except as otherwise permitted by Autodesk, Inc./Autodesk Canada Co., this publication, or parts thereof, may not be reproduced in any form, by any method, for any purpose.

Autodesk® Inferno® 2009, Autodesk® Flame® 2009, Autodesk® Flint® 2009, Autodesk® Smoke® 2009, Autodesk® Backdraft® Conform 2009

Portions relating to MXF-SDK was developed by Media, Objects and Gadgets – Soluções de Software e Hardware, S.A. (<http://www.mog-solutions.com>) in co-operation with Institut für Rundfunktechnik GmbH (<http://www.irt.de>).

Portions relating to Libxalan-c 1.9.0 are Copyright © 1999-2004. The Apache Software Foundation. Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0>. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Portions relating to Libxerces-c 2.6.0 are copyright 1999-2000, 2004 The Apache Software Foundation. Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0>. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Portions relating to JPEG © Copyright 1991-1998 Thomas G. Lane. All rights reserved. This software is based in part on the work of the Independent JPEG Group.

Portions relating to Libnuma Copyright 2002, 2004, Andi Kleen, SuSE Labs. Libnuma is under the GNU Lesser General Public License, v 2.1.

Portions relating to Libelf v 0.97 © 2008 Michael Riepe. Distributed under the terms of the GNU Lesser General Public License, v 2.1.

Portions relating to OpenMotif Copyright © 2007 by Integrated Computer Solutions, Inc. This material may be distributed only subject to the terms and conditions set forth in the Open Publication License, v2 .3 or later (the latest version is presently available at <http://www.opencontent.org/openpub/>).

Portions relating to LAPACK © 1999. LAPACK Users' Guide Third Edition is the official reference for LAPACK.

Portions relating to BLAS © 2005. ACM Transactions on Mathematical Software.

Portions relating to MD5 Copyright © 1991-2, RSA Data Security, Inc. Created 1991. All rights reserved. License to copy and use this software is granted provided that it is identified as the "RSA Data Security, Inc. MD5 Message-Digest Algorithm" in all material mentioning or referencing this software or this function. License is also granted to make and use derivative works provided that such works are identified as "derived from the RSA Data Security, Inc. MD5 Message-Digest Algorithm" in all material mentioning or referencing the derived work. RSA Data Security, Inc. makes no representations concerning either the merchantability of this software or the suitability of this software for any particular purpose. It is provided "as is" without express or implied warranty of any kind. These notices must be retained in any copies of any part of this documentation and/or software.

Portions relating to LibGCC Copyright © 2007 The GGC Team. Distributed under the terms of the GNU General Public License (or the Lesser GPL) <http://www.gnu.org/copyleft/library.html>.

Portions relating to ALSA version 1.0.6 Copyright © 2004 Jaroslav Kysela, Abramo Bagnara, Takashi Iwai, and Frank van de Pol.

Portions relating to Audiobogus Copyright © 1998-1999, Michael Pruett (michael@68k.org).

Portions relating to Audiofile 0.2.6 Copyright © 2005 Michael Pruett. Distributed under the terms of GNU General Public License, v2.

Portions relating to Berkeley Database software Copyright ©1990-2002, Sleepycat Software. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. 3. Redistributions in any form must be accompanied by information on how to obtain complete source code for the DB software and any accompanying software that uses the DB software. The source code must either be included in the distribution or be available for no more than the cost of distribution plus a nominal fee, and must be freely redistributable under reasonable conditions. For an executable file, complete source code means the source code for all modules it contains. It does not include source code for modules or files that typically accompany the major components of the operating system on which the executable file runs. THIS SOFTWARE IS PROVIDED BY SLEEPYCAT SOFTWARE "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT, ARE DISCLAIMED. IN NO EVENT SHALL SLEEPYCAT SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Portions relating to DIRAC Time Stretch/Pitch Shift technology licensed from The DSP Dimension, <http://www.dspdimension.com> Developed and © 2005 Stephan M. Bernsee.

Portions relating to GLEE Copyright © 2006 Ben Woodhouse. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer as the first lines of this file unmodified. 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. THIS SOFTWARE IS PROVIDED BY BEN WOODHOUSE "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL BEN WOODHOUSE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Portions of LibFreeType 2.1.19 are copyright © 2000. The FreeType Project (www.freetype.org). All rights reserved.

Portions relating to LibImageDL software are Copyright © 1991, 1999 Free Software Foundation, Inc.

Portions relating to Libpopt Copyright © 1998 Red Hat Software. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions: The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software. THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

Portions relating to libquicktime, Copyright © 2007. Distributed under the terms of the GNU General Public License (or the Lesser GPL).

Portions relating to Mesa Copyright © 1999-2007 Brian Paul. All Rights Reserved. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions: The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software. THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL BRIAN PAUL BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Portions relating to Open Inventor 2.1.5-9 Copyright © 1991, 1999 Free Software Foundation, Inc.

Portions relating to Python version 2.3.3 Copyright © 2001, 2002, 2003 Python Software Foundation; All Rights Reserved.

Portions relating to XXDiff Copyright © 1999-2004, Martin Blais. All Rights Reserved.

Portions powered by Automatic Duck. © 2006 Automatic Duck, Inc. All rights reserved.

PORTIONS OF THIS PRODUCT IS LICENSED UNDER THE VC-1 PATENT PORTFOLIO LICENSE FOR THE PERSONAL AND NON-COMMERCIAL USE OF A CONSUMER TO (i) ENCODE VIDEO IN COMPLIANCE WITH THE VC-1 STANDARD ("VC-1 VIDEO") AND/OR (ii) DECODE VC-1 VIDEO THAT WAS ENCODED BY A CONSUMER ENGAGED IN A PERSONAL AND NON-COMMERCIAL ACTIVITY AND/OR WAS OBTAINED FROM A VIDEO PROVIDER LICENSED TO PROVIDE VC-1 VIDEO. NO LICENSE IS GRANTED OR SHALL BE IMPLIED FOR ANY OTHER USE. ADDITIONAL INFORMATION MAY BE OBTAINED FROM MPEG LA, L.L.C. SEE [HTTP://WWW.MPEGLA.COM](http://WWW.MPEGLA.COM).

Portions relating to Glibc file contains the copying permission notices for various files in the GNU C Library distribution that have copyright owners other than the Free Software Foundation. These notices all require that a copy of the notice be included in the accompanying documentation and be distributed with binary distributions of the code, so be sure to include this file along with any binary distributions derived from the GNU C Library.

Portions relating to X11-libs v. 6.8.2 Copyright © 1994-2003 The XFree86 Project, Inc. All Rights Reserved. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without

restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions: The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software. THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE XFREE86 PROJECT BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE. Except as contained in this notice, the name of the XFree86 Project shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the XFree86 Project.

Portions relating to zlib ©1995-2004 Jean-loup Gailly and Mark Adler. This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Portions relating to Firefox 2 are © 2005-2008. Mozilla. All rights reserved. Distributed under the Mozilla Public License Version 1.1.

Autodesk® WiretapCentral™ 2008

Portions relating to Libxalan-c 1.8.0 are Copyright © 2004 The Apache Software Foundation. Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0>. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License. This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>).

Portions relating to Libxerces-c 2.5.0 are Copyright © 1999-2004 The Apache Software Foundation. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment: "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)." Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear. 4. The names "Xerces" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org. 5. Products derived from this software may not be called "Apache" nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation. THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Portions relating to JPEG are copyright © 1991-1996, Thomas G. Lane. All Rights Reserved except as specified below. The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

Autodesk® SystemCentral 2009

Portions relating to pySerial Copyright © 2001-2004 Chris Liechti cliechti@gmx.net; All Rights Reserved.

Autodesk® Inferno® 2009, Autodesk® Flame® 2009, Autodesk® Flint® 2009, Autodesk® Smoke® 2009, Autodesk® Backdraft® Conform 2009, and Autodesk® WiretapCentral™ 2008

Portions relating to OpenExr 1.2.1 Copyright © 2004, Industrial Light & Magic, a division of Lucasfilm Entertainment Company Ltd. Portions contributed and copyright held by others as indicated. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. Neither the name of Industrial Light & Magic nor the names of any other contributors to this software may be used to endorse or promote products derived from this software without specific prior written permission. THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Portions relating to libtiff are Copyright © 1988-1997 Sam Leffler. Copyright © 1991-1997 Silicon Graphics, Inc. Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that (i) the above copyright notices and this permission notice appear in all copies of the software and related documentation, and (ii) the names of Sam Leffler and Silicon Graphics may not be used in any advertising or publicity relating to the software without the specific, prior written permission of Sam Leffler and Silicon Graphics. THE SOFTWARE IS PROVIDED "AS-IS" AND WITHOUT WARRANTY OF ANY KIND, EXPRESS, IMPLIED OR OTHERWISE, INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL SAM LEFFLER OR SILICON GRAPHICS BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES OF ANY KIND, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER OR NOT ADVISED OF THE POSSIBILITY OF DAMAGE, AND ON ANY THEORY OF LIABILITY, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Portions relating to libffmpeg Copyright © 2003-2006, Fabrice Bellard.

Portions relating to LAME 3.97 Copyright © 2006 Mark Cheng. www.mp3dev.org. Distributed under the terms of the GNU General Public License (or the Lesser GPL) <http://www.gnu.org/copyleft/library.html>. PORTIONS RELATING TO H. 264 IS LICENSED UNDER THE AVC PATENT PORTFOLIO LICENSE FOR THE PERSONAL AND NON-COMMERCIAL USE OF A CONSUMER TO (i) ENCODE VIDEO IN COMPLIANCE WITH THE AVC STANDARD ("AVC VIDEO") AND/OR (ii) DECODE AVC VIDEO THAT WAS ENCODED BY A CONSUMER ENGAGED IN A PERSONAL AND NON-COMMERCIAL ACTIVITY AND/OR WAS OBTAINED FROM A VIDEO PROVIDER LICENSED TO PROVIDE AVC VIDEO. NO LICENSE IS GRANTED OR SHALL BE IMPLIED FOR ANY OTHER USE. ADDITIONAL INFORMATION MAY BE OBTAINED FROM MPEG LA, L.L.C. SEE [HTTP://WWW.MPEGLA.COM](http://WWW.MPEGLA.COM).

PORTIONS OF THIS PRODUCT IS LICENSED UNDER THE MPEG-4 VISUAL PATENT LICENSE PORTFOLIO LICENSE FOR THE PERSONAL AND NON-COMMERCIAL USE OF A CONSUMER FOR (i) ENCODING VIDEO IN COMPLIANCE WITH THE MPEG-4 VISUAL STANDARD ("MPEG-4 VIDEO") AND/OR (ii) DECODING MPEG-4 VIDEO THAT WAS ENCODED BY A CONSUMER ENGAGED IN A PERSONAL AND NON-COMMERCIAL ACTIVITY AND/OR WAS OBTAINED FROM A VIDEO PROVIDER LICENSED BY MPEG LA TO PROVIDE MPEG-4 VIDEO. NO LICENSE IS GRANTED OR SHALL BE IMPLIED FOR ANY OTHER USE. ADDITIONAL INFORMATION INCLUDING THAT RELATING TO PROMOTIONAL, INTERNAL USES AND LICENSING MAY BE OBTAINED FROM MPEG LA, LLC. SEE [HTTP://WWW.MPEGLA.COM](http://WWW.MPEGLA.COM).

PORTIONS OF THIS PRODUCT IS LICENSED UNDER THE MPEG-2 PATENT PORTFOLIO LICENSE ANY USE OF THIS PRODUCT OTHER THAN CONSUMER PERSONAL USE IN ANY MANNER THAT COMPLIES WITH THE MPEG-2 STANDARD FOR ENCODING VIDEO INFORMATION FOR PACKAGED MEDIA IS EXPRESSLY PROHIBITED WITHOUT A LICENSE UNDER APPLICABLE PATENTS IN THE MPEG-2 PATENT PORTFOLIO, WHICH LICENSE IS AVAILABLE FROM MPEG LA, L.L.C., 250 STEELE STREET, SUITE 300, DENVER, COLORADO 80206.

Portions relating to MPEG Layer- 3, supply of this product does not convey a license under the relevant intellectual property of Thomson multimedia and/or Fraunhofer Gesellschaft nor imply any right to use this product in any finished end user or ready-to-use final product. An independent license for such use is required. For details, please visit <http://www.mp3licensing.com>.

Trademarks

The following are registered trademarks or trademarks of Autodesk, Inc., in the USA and other countries: 3DEC (design/logo), 3December, 3December.com, 3ds Max, ActiveShapes, Actrix, ADI, Alias, Alias (swirl design/logo), AliasStudio, AliasWavefront (design/logo), ATC, AUGI, AutoCAD, AutoCAD Learning Assistance, AutoCAD LT, AutoCAD Simulator, AutoCAD SQL Extension, AutoCAD SQL Interface, Autodesk, Autodesk Envision, Autodesk Insight, Autodesk Intent, Autodesk Inventor, Autodesk Map, Autodesk MapGuide, Autodesk Streamline, AutoLISP, AutoSnap, AutoSketch, AutoTrack, Backdraft, Built with ObjectARX (logo), Burn, Buzzsaw, CaiCE, Can You Imagine, Character Studio, Cinestream, Civil 3D, Cleaner, Cleaner Central, ClearScale, Colour Warper, Combustion, Communication Specification, Constructware, Content Explorer, Create>what's>Next> (design/logo), Dancing Baby (image), DesignCenter, Design Doctor, Designer's Toolkit, DesignKids, DesignProf, DesignServer, DesignStudio, DesignStudio (design/logo), Design Web Format, Design Your World, Design Your World (design/logo), DWF, DWG, DWG (logo), DWG TrueConvert, DWG TrueView, DXF, EditDV, Education by Design, Exposure, Extending the Design Team, FBX, Filmbox, FMDesktop, Freewheel, GDX Driver, Gmax, Heads-up Design, Heidi, HOOPS, HumanIK, i-drop, iMOUT, Incinerator, IntroDV, Inventor, Inventor LT, Kaydara, Kaydara (design/logo), LocationLogic, Lustre, Maya, Mechanical Desktop, MotionBuilder, Mudbox, NavisWorks, ObjectARX, ObjectDBX, Open Reality, Opticore, Opticore Opus, PolarSnap, PortfolioWall, Powered with Autodesk Technology, Productstream, ProjectPoint, ProMaterials, Reactor, RealDWG, Real-time Roto, Recognize, Render Queue, Reveal, Revit, Showcase, ShowMotion, SketchBook, SteeringWheels, StudioTools, Topobase, Toxik, ViewCube, Visual, Visual Bridge, Visual Construction, Visual Drainage, Visual Hydro, Visual Landscape, Visual Roads, Visual Survey, Visual Syllabus, Visual Toolbox, Visual Tugboat, Visual LISP, Voice Reality, Volo, Wiretap, and WiretapCentral.

The following are registered trademarks or trademarks of Autodesk Canada Co. in the USA and/or Canada and other countries: Backburner, Discreet, Fire, Flame, Flint, Frost, Inferno, Multi-Master Editing, River, Smoke, Sparks, Stone, and Wire.

Automatic Duck and the duck logo are trademarks of Automatic Duck, Inc. All other brand names, product names or trademarks belong to their respective holders.

FFmpeg is a trademark of Fabrice Bellard, originator of the FFmpeg project.

All other brand names, product names or trademarks belong to their respective holders.

Disclaimer

THIS PUBLICATION AND THE INFORMATION CONTAINED HEREIN IS MADE AVAILABLE BY AUTODESK, INC./AUTODESK CANADA CO., "AS IS." AUTODESK, INC. DISCLAIMS ALL WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE REGARDING THESE MATERIALS.

Published by: Autodesk, Inc.
111 McInnis Parkway
San Rafael, CA 94903, USA

Title: Autodesk Smoke 2009 Hot Key Reference Guide
Document Version: 1
Date: April 09, 2008

Contents

Chapter 1	Smoke Hot Keys	1
	Using Hot Keys	2
	How to Use This Guide	3
	Global Hot Keys	3
	Action Hot Keys	8
	Animation Hot Keys	15
	Batch (New)	17
	Clip History Hot Keys	25
	Clip Input or Output Hot Keys	26
	Clip Library Hot Keys	27
	Colour Corrector Hot Keys	29
	Colour Warper Hot Keys	31
	Degrain Hot Keys	34
	Dissolve Editor Hot Keys	34
	EditDesk Hot Keys	34
	EDL Hot Keys	38
	Filter Hot Keys	41
	Full-Screen Player Hot Keys	42
	Garbage Mask Hot Keys	43
	Keyer Hot Keys	44
	LUT Editor Hot Keys	46
	Master Keyer Hot Keys	47
	Optics Hot Keys	47
	Paint Hot Keys	48

Panning and Zooming Hot Keys	51
Player Hot Keys	52
Reference Buffer Hot Keys	55
Regrain Hot Keys	55
Scrubbing Hot Keys	56
Stabilizer Hot Keys	57
Text Hot Keys	59
Timeline Hot Keys	63
Timewarp Editor Hot Keys	79
Wipe Editor Hot Keys	79

Smoke Hot Keys



Topics in this chapter:

- [Using Hot Keys](#) on page 2
- [How to Use This Guide](#) on page 3
- [Global Hot Keys](#) on page 3
- [Action Hot Keys](#) on page 8
- [Animation Hot Keys](#) on page 15
- [Batch \(New\)](#) on page 17
- [Clip History Hot Keys](#) on page 25
- [Clip Input or Output Hot Keys](#) on page 26
- [Clip Library Hot Keys](#) on page 27
- [Colour Corrector Hot Keys](#) on page 29
- [Colour Warper Hot Keys](#) on page 31
- [Degrain Hot Keys](#) on page 34
- [Dissolve Editor Hot Keys](#) on page 34
- [EditDesk Hot Keys](#) on page 34
- [EDL Hot Keys](#) on page 38
- [Filter Hot Keys](#) on page 41
- [Full-Screen Player Hot Keys](#) on page 42
- [Garbage Mask Hot Keys](#) on page 43
- [Keyer Hot Keys](#) on page 44
- [LUT Editor Hot Keys](#) on page 46
- [Master Keyer Hot Keys](#) on page 47
- [Optics Hot Keys](#) on page 47
- [Paint Hot Keys](#) on page 48

- [Panning and Zooming Hot Keys](#) on page 51
- [Player Hot Keys](#) on page 52
- [Reference Buffer Hot Keys](#) on page 55
- [Regrain Hot Keys](#) on page 55
- [Scrubbing Hot Keys](#) on page 56
- [Stabilizer Hot Keys](#) on page 57
- [Text Hot Keys](#) on page 59
- [Timeline Hot Keys](#) on page 63
- [Timewarp Editor Hot Keys](#) on page 79
- [Wipe Editor Hot Keys](#) on page 79

Using Hot Keys

Hot keys map your keyboard to commonly used functions. When you work with Autodesk® Backdraft® Conform, you can use hot keys to accelerate navigation in the application, to apply effects to clips, as well as to edit objects and animation channels.

When you create a user from the Project Management menu, the hot keys for the default user are replicated to your user profile. This guide is a useful resource for looking up those default hot keys.

This guide is also available in online help. To access online help from anywhere in Smoke, press **Left Ctrl+=**.

You can also use one of two online methods for looking up hot keys:

- Press **Alt+Ctrl+F8** to open the Hot Key Editor. The Hot Key Editor displays global hot keys along with those for the current module. You can also click Hotkeys in the Preference menu to display global and shared hot keys.
- If auto display of tooltips is enabled in the Preferences menu, hover over the button for which you want to determine the assigned hot key. If you have disabled the auto display of tooltips, press and hold **Alt+Ctrl+spacebar** and hover over the button. If a hot key exists for the button, it is displayed in the tooltip.

Using the Hot Key Editor, you can customize hot keys for your user profile or create new ones. The Hot Key Editor updates automatically to reflect your changes. For instructions on using the Hot Key Editor, see the “Managing Hot Keys” chapter in the user's guide.

NOTE Remember that the hot keys in this guide are the default hot keys specified for application release. If you modified your default user profile, or if you are working with a custom user profile, some of the hot keys may be different.

How to Use This Guide

This document begins by listing global hot keys—the hot keys that work regardless of where you are in the application. This is followed by sections on hot keys for Smoke modules in alphabetical order.

NOTE Hot keys new to this version are indicated by a “New” label to the left of the key or in the section header.

Global Hot Keys

Use the following hot keys throughout Smoke.

Window Management

Use these hot keys to control command shell priority.

Press:	To:
Alt+Tab	Bring the shell in which the application was launched to the foreground

User Interface

Use these hot keys to set user interface parameters.

Press:	To:
Ctrl+=	Open online help
Ctrl+Alt+F6	Open the Preferences menu
Ctrl+Alt+F7	Access a log of system messages for the current session
Ctrl+Alt+F8	Open Hot Key Editor
Ctrl+Alt+F9	Open Menu Editor

Press:	To:
Alt+Ctrl+K	Toggle on-screen keyboard on and off
Ctrl-click in a numeric field	Reset numeric to default value
Alt+Ctrl+S	Toggle snap to grid
Ctrl+0	Toggle the Background I/O menu
Alt+Ctrl+Shift+Enter	Force AutoSave
Ctrl-scrub	Scrub with audio
Ctrl+Shift-scrub	Scrub all audio tracks with positioner
Shift-click	Use Autopick in colour picker
Ctrl+A	Go to start of clip
Ctrl+S	Go to the end of clip
Ctrl+X	Go to next keyframe
Ctrl+Z	Go to previous keyframe
left arrow	Go to previous frame
right arrow	Go to next frame

Monitor Display Options

These hot keys correspond to graphics monitor display options. In the default display mode, these hot keys correspond to the gamma options in the Preferences menu. These options can include gamma values or custom monitor LUTs.

In 3D LUT display mode, these hot keys correspond to entries under the 3D LUT keyword section of the software initialisation configuration file.

Press:	To:
Ctrl+Shift+1	Load the first option in the Gamma box for graphics monitor display, or load the first 3D LUT indicated in the initialisation configuration file for viewport display
Ctrl+Shift+2	Load the second option in the Gamma box for graphics monitor display, or load the second 3D LUT indicated in the initialisation configuration file for viewport display
Ctrl+Shift+3	Load the third option in the Gamma box for graphics monitor display, or load the third 3D LUT indicated in the initialisation configuration file for viewport display
Ctrl+Shift+4	Load the fourth option in the Gamma box for graphics monitor display, or load the fourth 3D LUT indicated in the initialisation configuration file for viewport display
Ctrl+Shift+5	Load the fifth option in the Gamma box for graphics monitor display, or load the fifth 3D LUT indicated in the initialisation configuration file for viewport display
Ctrl+Shift+6	Load the sixth option in the Gamma box for graphics monitor display, or load the sixth 3D LUT indicated in the initialisation configuration file for viewport display
Ctrl+Shift+7	Load the seventh option in the Gamma box for graphics monitor display, or load the seventh 3D LUT indicated in the initialisation configuration file for viewport display
Ctrl+Shift+8	Load the eighth option in the Gamma box for graphics monitor display, or load the eighth 3D LUT indicated in the initialisation configuration file for viewport display
Ctrl+Shift+9	Load the ninth option in the Gamma box for graphics monitor display, or load the ninth 3D LUT indicated in the initialisation configuration file for viewport display
Ctrl+Shift+0	Load the tenth option in the Gamma box for graphics monitor display, or load the tenth 3D LUT indicated in the initialisation configuration file for viewport display

Press:	To:
Ctrl+Shift+' (tilde key)	Toggle between system gamma or 3D LUT display mode

Confirming

Use these hot keys to confirm manually, automatically, or to override the need to confirm.

Press:	To:
Enter	Save with prompt to confirm overwrite in file browser
Enter or click	Confirm
Alt+Enter	Save without prompt to confirm overwrite in file browser
Esc	Abort confirm
Alt-click	Auto confirm

Image Window Controls

Use these hot keys to view one or more viewports in the following modules: Action, Colour Corrector (includes the Colour Warper), and Resize.

Press:	To set the view layout:
Alt+1	To one viewport
Alt+2	To two viewports, side-by-side
Alt+3	To three viewports, side-by-side
Alt+4	To four viewports, two up and two down
Ctrl+W	Toggle between Widget Sel and Widget All (View menu)

Peripherals

Use these hot keys to initialise system peripherals.

Press:	To:
Shift+B+Insert	Toggle audio preference for sync between broadcast and high-resolution monitor
Shift+M+Insert	Initialise the mouse
Shift+T+Insert	Initialise the tablet

Debug and Utility

Use these hot keys only when advised by Autodesk Media and Entertainment Customer Support.

Press:	To toggle:
Shift+D+Insert	Debug
Shift+V+Insert	Debug video
Shift+L+Insert	Logging
Shift+A+R+Insert	Read ahead
Ctrl+A+R+Insert	Read ahead in module

Exiting

Use this hot key to exit the application.

Press:	To:
Alt+F12	Exit the application (with confirm)

Setup Hot Keys

Use the following hot keys in any soft effect editor or module.

Press:	To:
0	Load a setup
Shift+0	Save a setup

Processing Clips

Use the following hot keys to process clips or selected elements in the timeline. These options appear in the Process options box.

Press:	To:
Shift+\	Preview
\	Process
spacebar+\	Process clips using Autodesk Burn™

Volume Statistics

Use this hot key to exit Volume Statistics. You access Volume Statistics from the Storage section of the Preferences menu.

Press:	To:
' (tilde key)	Exit Volume Statistics

Action Hot Keys

Use the following hot keys in the Action module.

General Navigation

Use these hot keys to navigate in Action.

Press:	To:
0	Access the Load Action menu
Shift+0	Access the Save Action menu
F7	Access the Action Setup menu
F8	Access the Action Animation menu
New \	Process
New Shift+\	Preview
' (on the Tilde key)	Exit the Action module

Multiple Views

Use these hot keys when working with multiple views in Action.

Press:	To:
Shift+1	Set the selected viewport to Result view TIP Shows the scene viewed from the camera.
Shift+2	Set the selected viewport to Front view (from behind the default camera position) TIP Do not confuse this with Media Front view (see hot key 7 in this table).
Shift+3	Set the selected viewport to Side view
Shift+4	Set the selected viewport to Top view
5	Set the selected viewport to Schematic view
Esc	Toggle between Schematic and current view
6	Set the selected viewport to Source view

Press:	To:
7	Set the selected viewport to Media Front view <hr/> TIP Displays the front clip for the media selected in the Media list. You cannot modify the clip or media in this view. <hr/>
8	Set the selected viewport to Media list
9	Set the selected viewport to Priority list
I	Toggle the display of icons (object axes and control points)

Schematic Editing

Use these hot keys to create and modify the schematic of a Action composite. Some of these hot keys also have functions for editing objects and animation channels. To alter the view of your schematic, use the hot keys listed in [Image Window Controls](#) on page 6.

Press:	To:
Esc	Toggle between Schematic and current view
Ctrl+C	Copy the selected node
Shift+D	Delete selected nodes <hr/> TIP You cannot paste deleted nodes. <hr/>
Shift-drag	Enable Autolink to set a node as the parent node when you swipe it across other nodes
Alt+Shift-drag	Enable Autolink to set a node as the parent node when you swipe it with another node
Ctrl+D-hold	Temporarily display dependent nodes only
Ctrl+Shift-drag	Rectangle select multiple nodes in Schematic view
Shift+W-drag	Create a Duplicate link between two nodes
Alt+Shift+W-drag	Create an inverted direction Duplicate link

Press:	To:
Ctrl+Alt+W-drag	Remove a Duplicate link associated to node
H	Hide/unhide selected nodes TIP Hidden nodes cannot be seen in Perspective view.
Tab	Cycle the selection to the next node TIP This hot key also works in Perspective view.
Shift+Tab	Cycle the selection to the previous node TIP This hot key also works in Perspective view.

Edit Modes

Use these hot keys to switch to different edit modes.

Press:	To switch to:
spacebar+A	Add mode
spacebar+B	Break mode
spacebar+D	Delete mode
spacebar+L	Lighting mode TIP With Lighting mode selected, drag from a light node to an image surface to specify the surfaces affected by a given light.
spacebar+M	Move mode TIP You can parent nodes in Move mode by holding the cursor over the edge of the node. When the parenting arrow cursor appears, drag from the node to another.
spacebar+N	Pan mode
spacebar+P	Parent mode
spacebar+R	Rect Zoom mode

Press:	To switch to:
spacebar+S	Select mode
spacebar+T	Translate mode TIP Similar to Move mode, except you cannot constrain movement along the X-, Y-, or Z-axis.
spacebar+U	Auto mode
spacebar+W	Duplicate mode
spacebar+X	Xscale mode
spacebar+Y	Yscale mode
spacebar+Z	Zoom mode
Alt+R	Re-entry mode
Q	Set Magnet scale

Selecting Vertices

Use these hot keys to select vertices.

Press:	To:
Shift-click	Toggle selection of vertices
Ctrl-drag	Draw a selection box
Ctrl+Shift-drag	Add boxed selection to current selection TIP If you Ctrl+Shift-drag over already selected vertices, their selection state is toggled off.
Shift-drag	Resize the crop box with all four control points moving proportionally with respect to one another (must be in Media Front or Media Matte view)
Alt-drag	Resize the crop box softness only (must be in Media Front or Media Matte view)

Press:	To:
Shift+Alt-drag	Resize the crop box softness box with all four control points moving proportionally with respect to one another (must be in Media Front or Media Matte view)

Moving Axes

Use these hot keys to move axes in the image window.

Press:	To:
Hold Q-Click	Cycle through the axes
Shift-drag	Move an axis in any direction (unconstrained)

Camera and Lighting Options

Use these hot keys in the Camera or Light menu.

Press:	To:
Alt-drag	Set the point of interest in the Camera menu (Camera, Top, Side, and Front views only)
Alt-click	Unlight an object in the Light menu

Media List Navigation and Modification

In the Media menu, use the Media list to select media for keying, colour correction, blurring, displacement, and more. Use these hot keys to move quickly from media to media, and to set some media effects efficiently.

Press:	To:
Page Down	Go to the next page (down)
Page Up	Go to the previous page (up)
down arrow	Scroll down one line
up arrow	Scroll up one line

	Press:	To:
	Home	Go to the beginning of the Media list
	End	Go to the end of the Media list
	Ctrl-click	Select multiple media lines in the Priority Editor list or Media list <hr/> TIP You can also use the tablet pointer button.
	Shift-click	Select a range of media in the Priority Editor list or Media list
	Spacebar-click	Drag and drop in the Priority Editor
	Alt-drag	Set Front and Matte slip equally by Alt -dragging in the F slip or M slip field <hr/> TIP When you release the cursor, the value is applied to both fields.
	F	Toggle the Matte media display on/off
	Ctrl+Alt-click	Reset a field
	Double-click	Toggle on/off a Gaussian, Divide, or Crop feature
	Shift-Double-click	Toggle on/off all selected Gaussian, Divide, or Crop features
	Ctrl+Shift-click	Set a keyframe during a slip operation
	Alt+Shift-click	Set a keyframe on both the matte and front clip during a slip operation
New	Alt-click a surface	Automatically select the associated media in the Media list. <hr/> TIP If the Media list is not displayed, press Alt and double-click the surface to switch to the Media list and select the associated media.
	Alt-drag	Blur X- and Y-axes proportionally when applying a Gaussian blur by dragging in the X or Y field

Reset All

Use these hot keys while clicking the Reset All button in the Action Setup menu.

Press:	To:
Ctrl-click	Reset all parameters once confirmed. All nodes and media are deleted except Background.
Alt-click	Reset all parameters without confirmation. Nodes and media are not deleted.
Alt+Ctrl-click	Reset all parameters without confirmation. All nodes and media are deleted except Background.

Output Resolution

Use these hot keys to set image resolution in Action.

Press:	To:
Ctrl+P	Toggle the Use Proxies button in the Setup menu
Shift+P	Toggle between All Media and Full Res Media options in the box that appears below the Use Proxies button (when enabled).

Animation Hot Keys

Use the following hot keys in any module that contains the Channel Editor.

Press:	To:
Ctrl-click Frame Chn button	Frame the selected channel and scroll corresponding folder to top of channel hierarchy
Q-click tangent handle	Select a particular tangent handle
Q-click keyframe (in the Track editor)	Select a keyframe

Press:	To:
,	Enable or disable Animated option to affect animated channels with the Expansion and Show/Hide boxes
.	Enable or disable Selected option to affect animated channels with the Expansion and Show/Hide boxes
/	Toggle Autoframe between None and last selected option (All, Animated, or Selected)
Alt-click tangent handle	Snap tangent handle to a right angle
Alt+I	Cycle current keyframe through interpolation types
Alt-click folder name	Expand or collapse all selected entries and their children
spacebar+M	Switch to Move mode
spacebar+A	Switch to Add mode
spacebar+D	Switch to Delete mode
spacebar+B	Switch to Break mode
spacebar+U	Switch to Auto mode
spacebar+X	Switch to X Scale mode
spacebar+Y	Switch to Y Scale mode
spacebar+T	Switch to Translate mode
spacebar+N	Switch to Pan mode
spacebar+Z	Switch to Zoom mode
spacebar+S	Switch to Select mode
spacebar+R	Switch to Rectangular Zoom mode
Insert	Display keyframe duration field
I	Set a keyframe

Press:	To:
O	Copy a keyframe
P	Paste a keyframe
U	Insert a keyframe
[Delete a keyframe
]	Enable Auto Key
Shift+Tab	Expand and frame keyframe selection
Shift-click	Select or deselect a keyframe or channel in the animation curvewindow
Ctrl-click	Select multiple keyframes using a selection box on the animation curve
Ctrl+Shift-click	Toggle the current selection box
Ctrl+Shift+F	Select multiple keyframe ranges
Shift+]]	Display the Expression field so that you can apply an expression to the selected channel

Batch (New)

Use these hot keys while working in Batch.

General Navigation

Use these hot keys to navigate in Batch.

Press:	To:
Backspace	Undo
Shift+Backspace	Redo
0	Load Batch or Load Node
Shift+0	Save Batch or Save Node

Press:	To:
' (on the Tilde key)	Exit

Notes

Use these hot keys to cut, copy, and paste the content of notes. You can also view notes or modify how they are displayed in the schematic.

Press:	To:
Shift+V	Open the note editor
Ctrl+A	Select all of the content in a note
Ctrl+C	Copy the selected content
Ctrl+V	Paste the copied content
Ctrl+X	Delete selected content
Ctrl+V-rollover	Temporarily display a clip or node's note beneath the cursor
Ctrl+Shift-V	Expand all notes for the current selection in schematic

Schematic Editing

Use these hot keys to quickly assemble process trees and monitor process tree results.

Press:	To:
Ctrl+Esc	Toggle between the Schematic and Node Bars view and the current view
Shift+Esc	Open the top schematic
Esc	Toggle node Schematic view
-	Set Context
Ctrl+F	Copy a node

Press:	To:
Shift+D	Delete a node
Alt+Shift+1	Display C:Main level context view
Alt+Shift+2	Display C:Level-up context view
T-click	<p>Perform one of the following:</p> <ul style="list-style-type: none"> ■ When performing a T-click on a clip or BFX Output node, set the batch duration to the duration of the selected clip or node. ■ First select the Burn-In node. When performing T-click on clip, load the keycode from the clip to the Burn-In node in Batch. ■ When performing a T-click on a Burn-in Timecode node, apply the clip attributes to the output node.

TIP T-click the result tab of a node to view a proxy representation of the node's output.

Working with the BFX Timeline

Use these hot keys to zoom, change focus, and navigate the BFX timeline. Some of the hot keys from the EditDesk record timeline may also apply. See [Timeline Hot Keys](#) on page 63.

Press:	To:
=	Set the zoom to the default setting (Home)
Ctrl+click the Home button	Set the vertical default
Shift+click the Home button	Set the horizontal default
Alt+R	Perform a rectangular zoom
Alt+W	Perform a rectangular selection
Ctrl+Tab	Create a video track

Press:	To:
Ctrl+Shift+Tab	Create a video layer
Ctrl+Q	Create an audio track
Ctrl+down arrow	Go to next track/layer
Ctrl+up arrow	Go to previous track/layer
Alt+' (on the tilde key)	Contain selection
Ctrl+Shift+left arrow	Create edit sync selection
Ctrl+Shift+right arrow	Remove edit sync selection
Ctrl+Shift+up arrow	Clear edit sync offsets
Ctrl+Shift+down arrow	Re-sync edit sync selection
Ctrl+down arrow	Move focus point down without changing focus layer
down arrow	Move focus point down (focus layer updates)
Ctrl+up arrow	Move focus point up without changing focus layer
up arrow	Move focus point up (focus layer updates)
A	Go to in point
Shift+A	Go to start of track
S	Go to out point
Shift+S	Go to end of track
Z	Go to previous transition on current track
X	Go to next transition on current track
C	Reverse play

Press:	To:
V	Play
spacebar	Stop play or process
left arrow	Go one frame backward
right arrow	Go one frame forward
Ctrl+A	Go to start of clip
Alt+Shift+A	Go to previous track cue mark
Alt+A	Go to previous cue mark
Ctrl+S	Go to end of clip
Alt+S	Go to next cue mark
Alt+Shift+S	Go to next track cue mark
Shift+X	Go to next transition on any track
Shift+Z	Go to previous transition on any track
Ctrl+Shift+A	Move the positioner to the start of the current container
Ctrl+Shift+S	Move the positioner to the end of the current container
Ctrl-click	Jog within current shot
Shift-click	Jog subframe
Alt (right side of the keyboard)	Mark in point
Spacebar+Alt (right side of the keyboard)	Clear in point
Ctrl (right side of the keyboard)	Mark out point
Spacebar+Ctrl (right side of the keyboard)	Clear out point

Press:	To:
Shift+ /	Mark in and out points
Spacebar+Ctrl+Alt (right side of the keyboard)	Clear in and out points
Ctrl+Alt+ /	Select between in and out points (current layer)
Alt+ /	Select between in and out points (current track)
Shift+Alt+ /	Select between in and out points (all tracks)
Alt+Shift+S	Go to next segment cue mark
Alt+Shift+A	Go to previous segment cue mark
Shift+Alt (right side of the keyboard)	Add a cue mark
Spacebar+Shift+Alt (right side of the keyboard)	Clear a cue mark
Spacebar+Shift+Ctrl+Alt (right side of the keyboard)	Clear all cue marks
Shift+Ctrl (right side of the keyboard)	Add a segment mark
Spacebar+Shift+Ctrl (right side of the keyboard)	Clear a segment mark
Ctrl+,	Enable or disable Link Cut
Ctrl+M	Enable or disable Link Transition
Ctrl+Shift+B	Enable or disable Ripple

Press:	To:
Shift+B	Enable or disable Trim
Ctrl+N	Lock

Editing

Use these hot keys to edit the BFX timeline. Some of the hot keys from the EditDesk record timeline may also apply. See [Timeline Hot Keys](#) on page 63.

Press:	To:
N+right arrow	Trim current segment head to the right
N+left arrow	Trim current segment head to the left
N+Alt (right side of the keyboard)	Trim head to in point
N+Ctrl (right side of the keyboard)	Trim head to out point
N+spacebar	Trim head to positioner
N+[Trim current segment head to in point
N+]	Trim current segment head to out point
B+right arrow	Trim tail to the right
B+left arrow	Trim tail to the left
B+Alt (right side of the keyboard)	Trim tail to in point
B+Ctrl (right side of the keyboard)	Trim tail to out point
B+spacebar	Trim tail to positioner
M+right arrow	Slide selected transition to the right
M+left arrow	Slide selected transition to the left

Press:	To:
M+Alt (right side of the keyboard)	Slide transition head to in point
M+Ctrl (right side of the keyboard)	Slide transition head to out point
M+spacebar	Slide transition head to positioner
M+[Slide selected transition to in point
M+]	Slide selected transition to out point
,+/>right arrow	Slip selected segment to the right
,+/>left arrow	Slip selected segment to the left
Home	Create a timewarp on selected segment
F+click	Copy from the timeline
G	Perform an insert edit
J	Perform a replace edit (replaces a segment in the timeline with material from another clip without changing the sequence duration)
Shift+J	Perform a replace edit on source media
K	Perform a ripple edit (replaces a segment in the timeline with material from another clip and ripples the track, which may change the sequence duration)
H	Perform an overwrite edit without maintaining gaps between segments in the source material
Shift+H	Perform an overwrite edit and maintain gaps between segments in the source material
;	Perform an append edit
Shift+;	Perform a prepend edit
L	Perform an aligned edit
Shift+'	Swap segments in the timeline

Press:	To:
.	Extract
Shift+. (period)	Lift
Ctrl+. (period)	Extract and delete material
Shift+Ctrl+. (period)	Lift and delete material
/	Match
Ctrl+ /	Match (keep handles)
Alt+ /	Cycle Match type
]	Enable or disable Auto Key
	Set a keyframe
[Remove a keyframe

Clip History Hot Keys

Use the following hot keys when working in the clip history.

Press:	To:
Ctrl+ f5	Switch to History view and display clip history of the selected clip or element (except in Text soft effect)
Ctrl+Shift+F5	Switch to Large History view and display clip history of the selected clip or element
F5	Switch to History view and display clip history of the selected clip or element in Text soft effect
Ctrl-Swipe bar below Record Area	Switch between History and Large History view
Shift+Ctrl-click	Switch between straight and Hermite lines
=	Reset to clip history home
Home	Show entire clip history

Press:	To:
Shift-drag	Zoom in schematic view
spacebar	Pan in schematic view
/	Create a copy of the selected intermediate in the Source Area (the copy contains the clip history of the intermediate)
Tilde	Save and process changes you make in a module to a clip with clip history
Ctrl+Tilde	Exit a module without saving changes or processing the clip with clip history

Clip Input or Output Hot Keys

Use the following hot keys in the clip I/O menus and while playing the VTR.

Press:	To:
Ctrl-click Process button	Output with VTR in Assemble mode (for output clip only)
Ctrl+\	Assemble on output
F9	Open Input Clip menu from EditDesk or a clip library
Ctrl+F9	Open Input Clip menu with In, Out, and Duration values of selected clip
Shift+F9	Open Output Clip menu from EditDesk or a clip library
V	Play
C	Reverse play
Shift+C	Rewind
Shift+V	Fast Forward
Shift+ \	Preview on output
\	Process (start inputting or outputting material)

Press:	To:
spacebar	Stop
left arrow	Shuttle 1 frame backwards
right arrow	Shuttle 1 frame forwards
up arrow	Shuttle forward 10 frames
down arrow	Shuttle backward 10 frames
Mark In	Set in timecode when inputting or outputting clips
Mark Out	Set out timecode when inputting or outputting clips
A	Cue VTR to in timecode (to view frame)
S	Cue VTR to out timecode (to view frame)
9	Open on-screen keyboard to change clip name
Ctrl+9	Open on-screen keyboard to change reel name
;	Log for batch capture
-	Go to EDL
Shift+View Mode	Enable letterbox format on output
Shift+Pause	Enable the Letterbox button in the Output Clip menu

Clip Library Hot Keys

Use the following hot keys in clip libraries.

Press:	To:
-	Open Import EDL menu
Shift+ -	Open Export EDL menu
F9	Open Input Clip menu
Shift+F9	Open Output Clip menu

Press:	To:
Ctrl-click, front & matte	Export selected layers as an RGBA file
Home	Go to top of library
End	Go to bottom of library
PgUp	Go up 1 page
PgDn	Go down 1 page
up arrow	Scroll up by 1 line
down arrow	Scroll down by 1 line
9	Name or rename selection under cursor
M	Name or rename cursor selection
T	Switch view to Titles mode
P	Switch view to Proxies mode
L	Switch view to List View mode
Alt-over clip	Display additional clip information in message bar
Ctrl+I	Change amount of information displayed on proxies
A	Select all entries
U	Deselect all entries
E	Expand selected entries
Shift+E	Collapse selected entries
Shift-click	Select all clips within a range, or add range to current selection
Ctrl-click	Add to multiple selection
N	Create a new reel

Press:	To:
F-drag	Copy or Move an entry (depending on status of Copy on Drag/Move on Drag button)
D+Enter	Remove (delete) selected entries
0	Load selected entries to EditDesk
Ctrl+0	Load and join selected entries
V	Play a proxy forwards <hr/> NOTE Cursor must be over proxy. <hr/>
C	Play a proxy backwards <hr/> NOTE Cursor must be over proxy. <hr/>
Ctrl+L	Refresh Network library. In clip libraries, refresh proxies (use if proxies get corrupted).
Ctrl+S	Change proxy size
Shift+A	Go to in point of selected clip
Shift+S	Go to out point of selected clip

Colour Corrector Hot Keys

Use the following hot keys in the Colour Corrector module.

Press:	To:
Esc	Toggle menu panel
D+Enter	Reset all
F1	Switch to Front clip view
F2	Switch to Back clip view
F3	Switch to Matte clip view
F4	Switch to Result clip view

Press:	To:
F5	Switch to Player (after process)
F7	Toggle between current menu and Setup menu
F8	Open Animation menu
0 (zero)	Load a CC setup
Shift+0 (zero)	Save a CC setup
Backspace	Undo
Ctrl-drag	Obtain average colour rectangle when sampling colour
Alt-drag	Obtain average colour path when sampling colour
Ctrl-drag	Draw a crop box
Ctrl+up arrow	Zoom in
Ctrl+down arrow	Zoom out
Ctrl+Home	Toggle between current view and home
spacebar-drag	Pan around viewing area
V	Play
C	Reverse play
\	Process
spacebar	Stop

Overlay User Interface

Use these hot keys to modify the Overlay user interface, which can be displayed in both the Colour Corrector and the Colour Warper.

Press:	To:
Ctrl+Esc	Toggle between the Overlay user interface and the regular user interface

Press:	To:
Esc	Toggle menu panel for either the regular user interface or the Overlay user interface
Ctrl+Alt+Num+ (plus sign on numerical keypad)	Increase the opacity of the Overlay user interface
Ctrl+Alt+Num- (minus sign on numerical keypad)	Decrease the opacity of the Overlay user interface
Ctrl+Alt+Num* (star sign on numerical keypad)	Swap background and foreground colours of buttons in the Overlay user interface

Colour Warper Hot Keys

Use the following hot keys in the Colour Warper.

Press:	To:
Esc	Toggle menu panel
D+Enter	Reset all
Backspace	Undo
Shift+Backspace	Redo
F1	Switch to Front clip view
F2	Switch to Back clip view
F3	Switch to Matte clip view
F4	Switch to Result clip view
F5	Switch to Player (after process)
F7	Open Setup menu
F8	Open Animation menu

Press:	To:
0 (zero)	Load a CC setup
Shift+0 (zero)	Save a CC setup
Alt-drag	Pan vectorscope (2D & 3D)
Ctrl-drag	Rotate 3D vectorscope
Shift-click	Zoom vectorscope
Z-click	Use Shadows trackball
X-click	Use Midtones trackball
S-click	Use Highlights trackball
W-click	Use trackball appearing in trackball option box
T	Plot
H	Toggle source histogram
J	Toggle destination histogram
A	Toggle 3D vectorscope canvas
L	Toggle 3D vectorscope lines
]]	Toggle Auto Key button
\	Process

Gamma and Luminance Curves

Use the following hot keys for the gamma and luminance curves.

Press:	To:
M+spacebar	Move control points on gamma and luminance curves
A+spacebar	Add control points to gamma and luminance curves
D+spacebar	Delete points from gamma or luminance curves

Press:	To:
Z+spacebar	Zoom the graph displaying gamma and luminance curves
R+spacebar	Drag a rectangle where gamma graph is zoomed
spacebar-drag	Pan graph displaying gamma and luminance curves

Hue Cube

Use the following hot keys for the hue cube.

Press:	To:
M+spacebar	Move softness handles
Z+spacebar	Zoom in the hue cube

Overlay User Interface

Use the following hot keys to modify the Overlay user interface, which can be displayed in both the Colour Corrector and the Colour Warper.

Press:	To:
Ctrl+Esc	Toggle between the Overlay user interface and the regular user interface
Esc	Toggle menu panel for either the regular user interface or the Overlay user interface
Ctrl+Alt+Num+ (plus sign on numerical keypad)	Increase the opacity of the Overlay user interface
Ctrl+Alt+Num- (minus sign on numerical keypad)	Decrease the opacity of the Overlay user interface
Ctrl+Alt+Num* (star sign on numerical keypad)	Swap background and foreground colours of buttons in the Overlay user interface

Degrain Hot Keys

Use the following hot keys when working in the Degrain menu.

Press:	To:
F1	Switch to Front clip view
F4	Switch to Result clip view
0	Load
Shift+0	Save
F5	Switch to Player (after process)
\	Process
P-click	Scale all channels proportionately
D	Reset all
D+Enter	Reset all (no confirm)

Dissolve Editor Hot Keys

Use the following hot keys in the Dissolve Editor.

Press:	To:
\	Process
Shift+Backspace	Redo

EditDesk Hot Keys

Use the following hot keys on the EditDesk.

Select:	To:
Alt-drag	Display clip information under cursor. Click a clip and then drag over any other clip while pressing Alt to update the information.
Alt-click clip	Display additional clip information

Select:	To:
Esc	Open Player
Spacebar+Esc	Open Triptych Player
Ctrl+Esc	Open full-screen Player
Ctrl+spacebar-click clip	Open Notepad text editor
1	Open Action module
Shift+1	Open Action module with same clips
2	Open Keyer module
Shift+2	Open Keyer module with same clips
3	Open Colour Corrector module
Shift+3	Open Colour Corrector with same clips
4	Open Text module
Shift+4	Open Text module with same clips
5	Open Paint module
Shift+5	Open Paint module with same clips
6	Open Stabilizer
Shift+6	Open Stabilizer with same clips
7	Open Resize module
Shift+7	Open Resize module with same clips
8	Open Autodesk Sparks® module
9	Name a clip
Shift+9	Change timecode
Ctrl+9	Cycle EditDesk Item box

Select:	To:
Alt+9	Name current EditDesk Library
0	Open Clip Library
Alt+click Sparks button	Change currently loaded Sparks
Shift+'	Open Editing menu
Ctrl+'	Open Effects menu
-	Import EDL
Ctrl+I	Cycle information displayed on clips, including keycode display options
Ctrl+Shift+Esc	Toggle record viewer display
F1	Switch to Storyboard view
F2	Switch to Head/Tail view
F3	Switch to Collapsed view
F4	Switch to Trim view
F5	Switch to Record Timeline view
Shift+F5	Switch to Large Timeline view
F6	Switch to Source Timeline view
Shift+F6	Switch to Large Source Timeline view
F7	Switch to Record focus
F8	Switch to Source focus
F9	Open Input Clip menu
Ctrl+F9	Open Input Clip menu with In, Out, and Duration values of selected clip
Shift+F9	Open Output Clip menu

Select:	To:
F10	Open Colour Source menu
F11	Create a Black Source clip
F12	Create a Colour Bars clip
Shift+F12	Create an Audio tone
Alt+T-click segment	Paste segment information into Filter Selection text fields
Ctrl-click	Add to selection
Ctrl-select A/V tool	Enable tool repeat mode—i.e. to reuse tool without having to reselect it
	TIP To cancel, click in the menu.
Shift+0	Save
* (keypad)	Clear selection in timeline
Shift+* (keypad)	Clear all
Backspace	Undo
Shift+Backspace	Redo
Ctrl+L	Refresh
Shift+L	Switch to List view
Ctrl+PgUp	Enable or disable duration constraint
Alt+left arrow	Resize proxy to default size
Alt+up arrow	Increase proxy size
Alt+down arrow	Decrease proxy size
right Alt	Mark in point
right Ctrl	Mark out point

EDL Hot Keys

Use the following hot keys for editing using the Player and EDL menus.

EDL Menu Hot Keys

Press:	To:
Ctrl-click Telecine field	Clear selected telecine log file from the field
Ctrl-click event	Add event to selection
Shift-click event	Add range of events to selection
Ctrl-click EDL	Select multiple EDLs, in Load EDL menu
up arrow	Move cursor up
down arrow	Move cursor down
Shift+up arrow	Move cursor up and select event
Shift+down arrow	Move cursor down and select event
right arrow	Move cursor right
left arrow	Move cursor left
Ctrl+up arrow	Page up
Ctrl+down arrow	Page down
Alt+up arrow	Go to top of list
Alt+down arrow	Go to bottom of list
Enter	Select or edit an entry
Ctrl+Enter	Select or add to selection
Shift+D	Delete
Alt+Ctrl+F	Cycle font size
-	Cycle current EDL

Press:	To:
Alt+ -	Close current EDL
Alt+Ctrl+ -	Close all EDLs
Alt+Ctrl+Shift+S	Cycle sort mode
\	Capture selected reel (in Auto-Capture menu)
\	Assemble EDL (in EDL menu)

EDL Player Hot Keys

Press:	To:
F7	Set to Record focus
F8	Set to Source focus
Mark In	Mark in point
Mark Out	Mark out point
Shift+ \	View assembled clip in EDL player
V	Play
spacebar	Stop
Ctrl+right arrow	Move to next frame
Ctrl +left arrow	Move to previous frame
S	Go to out point
A	Go to in point

EDL Editing Hot Keys

Press:	To:
Alt+R	Enable or disable Affect Tape

Press:	To:
Alt+S	Enable or disable Affect Selection
Ctrl+B	Ripple Record
Ctrl+N	Lock Speed
9	Change EDL name
[Cut events
O	Copy events
P	Paste events
U	Insert events
Alt+E	Select events or edits
Alt+M	Update capture marks
Alt+Ctrl+U	Select uncaptured
Alt+U	Deselect all
Alt+A	Select all
Ctrl+9	Change library reel
Delete	Add a cut
End	Add a dissolve
PgDn	Add a wipe
Shift+F9	Auto-capture
,	Slip
Shift+ ,	Slip tape
Alt+Ctrl+S	Sort
Alt+C	Add comment
Alt+Ctrl+C	Remove comment

Press:	To:
Alt+F	Find events
Alt+T	Insert title
Alt+Ctrl+T	Remove title
\	Assemble EDL
0	Load
Shift+0	Save
Backspace	Undo
Shift+Backspace	Redo
Tab	Record video track (when a track is selected)
Q	Record A1 (when a track is selected)
W	Record A2 (when a track is selected)
E	Record A3 (when a track is selected)
R	Record A4 (when a track is selected)

Filter Hot Keys

Use the following hot keys in the Filter module.

Press:	To:
D	Reset
Shift+0	Save
0	Load
V	Play
C	Reverse play
\	Process

Press:	To:
spacebar	Stop
Ctrl+A	Go to start of clip
Ctrl+S	Go to end of clip
left arrow	Go to previous frame
right arrow	Go to next frame
1	Activate Filter 1
2	Activate Filter 2
3	Activate Filter 3
4	Activate Filter 4
5	Activate Filter 5
F1	Switch to Front clip view
F4	Switch to Result clip view
F5	Switch to Player (after process)
Ctrl+up arrow	Zoom in
Ctrl+down arrow	Zoom out
Ctrl+Home	Reset to Home view
spacebar-drag	Pan around viewing area

Full-Screen Player Hot Keys

Use the following hot keys in the full-screen Player.

Press:	To:
Ctrl+up arrow	Zoom in
Ctrl+down arrow	Zoom out

Press:	To:
Ctrl+Home	Reset to Home view
spacebar-drag	Pan around viewing area
Alt+A	Go to previous soft effect
Alt+Z	Go to next soft effect

Garbage Mask Hot Keys

Use the following hot keys when creating garbage masks.

Press:	To:
Shift-drag	Enable Autolink to parent a node by swiping it across another node
Alt+Shift-drag	Reverse Autolink
Ctrl+C	Create a copy of the selected node, in Schematic view
A	Select all vertices
G-drag	Automatically adjust the tangents of selected vertices when you scale or move the garbage mask
spacebar+A	Switch to Add mode
spacebar+B	Switch to Break mode
spacebar+C	Switch to Create mode
spacebar+O	Switch to Orbit mode
spacebar+P	Switch to Parent mode
spacebar+W	Switch to Cut mode
spacebar+E	Switch to Rotate mode
1	Switch to Perspective view
2	Switch to Front view

Press:	To:
3	Switch to Side view
4	Switch to Top view
5	Switch to Schematic view
Shift-click	Add single items to multiple selection
Ctrl-drag	Select multiple vertices
Shift+C	Close GMask
Esc	Toggle between Perspective and Schematic views

Keyer Hot Keys

Use the following hot keys in the Keyer module.

Press:	To:
Alt-click	On the blue indicator of CCF button, disable the current colour correction
I	Set keyframe
F7	Open Setup menu
6	Switch to Player (after process)
F8	Open Animation menu
T	Add to tolerance sample
S	Add to softness sample
Alt+P	Plot a pixel in image
F1	Switch to Front clip view
F2	Switch to Back clip view
F3	Switch to Matte clip view
F4	Switch to Result clip view

Press:	To:
F6	View the composite using a solid colour for the background in place of the black clip
V	Play
C	Reverse play
\	Process key
spacebar	Stop
Ctrl+S	Go to end of clip
Ctrl+A	Go to beginning of clip
left arrow	Go back 1 frame
right arrow	Go forward 1 frame
Ctrl+X	Go to next keyframe
Ctrl+Z	Go to previous keyframe
]	Enable Auto Key
0	Load a key setup
Shift+0	Save a key setup
Ctrl+up arrow	Zoom in
Ctrl+down arrow	Zoom out
spacebar-drag	Pan around viewing area
Backspace	Undo
Ctrl+Home	Toggle between current view and Home view
D	Reset all

LUT Editor Hot Keys

Use the following hot key while loading and customizing LUTs with the LUT Editor.

Press:	To:
'	Exit the LUT Editor accessed with the Create LUT button, and to exit from the file browser when loading a LUT

Basic Curve Editing

Use these hot keys to edit the RGB basic curves.

Press:	To adjust:
R-drag	R curve
G-drag	G curve
B-drag	B curve

Advanced Editing

Use these hot keys to modify the RGB advanced curves.

Press:	To switch to:
M+spacebar	Move mode
A+spacebar	Add mode
D+spacebar	Delete mode
Z+spacebar	Zoom mode
R+spacebar	Rectangular Zoom mode
N+spacebar	Pan mode

Master Keyer Hot Keys

Use the following hot keys in the Master Keyer module.

Press:	To:
M	Select Matte in the Sampling box
D	Select Degrain in the Sampling box
B	Select Blend in the Sampling box
S	Select Spill in the Sampling box
Shift+1, 2 or 3	Select Patch 1, 2 or 3, respectively, in the Sampling box
Ctrl-drag	Sample an area of the image
Click	Sample a single pixel

Optics Hot Keys

Use the following hot keys in the Optics menu.

Press:	To:
F8	Open Animation menu
]	Enable Auto Key
0	Load
F1	Switch to Front clip view
F2	Switch to Back clip view
F3	Switch to Matte clip view
F4	Switch to Result clip view
F5	Switch to Player (after process)
\	Process
Shift+0	Save

Press:	To:
D	Reset all
D+Enter	Reset all (no confirm)

Paint Hot Keys

Use the following hot keys in the Paint module.

Press:	To:
V	Play
Shift+\	Preview
\	Process
Ctrl+S	Go to end of clip
Ctrl+A	Go to start of clip
right arrow	Go to next frame
left arrow	Go to previous frame
spacebar+Z	Enable Zoom mode
Ctrl+up arrow	Zoom in
Ctrl+down arrow	Zoom out
Shift+R	Reset roll and tile
Ctrl+R	Roll and tile
Esc	Toggle between large view area and normal view area
Ctrl+Esc	Open colour palette
Stylus button-click	Pick colour
O (letter)	Toggle brush zooming on and off
Shift+C	Toggle brush circle cursor on and off

Press:	To:
E-drag	Enable proportional scaling
F8	Open Animation menu
F7	Open Setup menu
]	Enable Auto Key
Ctrl+`	Cancel
Shift+`	Exit Paint, processing 1 frame only
0	Load
Shift+0 (zero)	Save
Alt-click	Draw rectangle from centre to corner
Ctrl-click	Clone source (when using Clone tool)
Shift+F1	Display frame painted last
Shift+F2	Display frame painted second to last
Shift+F3	Display frame painted third to last
spacebar-drag	Pan around viewing area
Ctrl+Shift+down arrow	Pan 1 pixel down
Ctrl+Shift+up arrow	Pan 1 pixel up
Ctrl+Shift+left arrow	Pan 1 pixel left
Ctrl+Shift+right arrow	Pan 1 pixel right
M-click	Move drag box
Shift-drag	Move selected object on X and Y axis with constrained motion

Press:	To:
A-click	Add point to polygon
Alt+A-click	Add point after for polygon
B-click	Break tangent for polygon
Shift+D-click	Delete point for polygon
F1	Switch to Front clip view
F2	Switch to Back clip view
F3	Switch to Matte clip view
F4	Preview Saved
M-click	Apply selected medium to colour palette scratch pad
Ctrl-click	Copy brush set
S-drag	Adjust brush size
Alt+S-drag	Use constant brush pressure
1	Use brush set 1
2	Use brush set 2
3	Use brush set 3
4	Use brush set 4
5	Use brush set 5
F	Preview with Short Flipbook (plays 5 frames)
Shift+F	Preview with Long Flipbook (plays 9 frames)
H	Toggle between cursor and crosshair
R	Enable or disable Regen
T	Enable or disable Show Transparency

Press:	To:
2 (on numeric keypad)	Translate stroke down 1
4 (on numeric keypad)	Translate stroke left 1
6 (on numeric keypad)	Translate stroke right 1
8 (on numeric keypad)	Translate stroke up 1
Ctrl-click	Pick colour
Ctrl-click	Pick stamp
D	Reset all
D+Enter	Reset all (no confirm)
Ctrl+Home	Reset to Home view
Backspace	Undo

Panning and Zooming Hot Keys

Use the following hot keys to change the view. Also see the panning and zooming hot keys listed in [Timeline Hot Keys](#) on page 63.

Press:	To:
Ctrl+up arrow	Zoom in
Ctrl+down arrow	Zoom out
Ctrl+spacebar-drag	Zoom in viewport
Ctrl+Home	Toggle between Current view and Home view
spacebar-drag	Pan around viewing area

Press:	To:
Ctrl+Shift+down arrow	Pan 1 pixel down
Ctrl+Shift+up arrow	Pan 1 pixel up
Ctrl+Shift+left arrow	Pan 1 pixel left
Ctrl+Shift+right arrow	Pan 1 pixel right

Player Hot Keys

Use the following hot keys in the Player.

Press:	To:
Alt+V	Cycle current selection to the next clip
Alt+C	Cycle current selection to the previous clip
Shift+\	Activate Preview FX preview option
Shift+[Activate RealTime preview option
Shift+]	Activate View Src preview option
Shift+Tab	Activate video track
Shift+Q	Activate A1(audio) track
Shift+W	Activate A2 (audio) track
Shift+E	Activate A3 (audio) track
Shift+R	Activate A4 (audio) track
Ctrl+W	Toggle between AudioDesk and Player options
Ctrl+E	Toggle between AudioDesk and EQ Desk
Shift+Pause	Enable Letterbox option

Press:	To:
Left Ctrl+Pause	Enable Overlays option
Pause	Enable View option
Y	Cycle Replay mode
Ctrl+Y	Cycle Play mode
Shift+Y	Cycle Preview type
F7	Switch to Record focus
F8	Switch to Source focus
Ctrl+Esc	Switch to full-screen Player
Shift+D+R+Ins	Toggle proxy Player dominance between field 1 and field 2
Ctrl+D+R+Ins	Toggle full-resolution Player dominance between field 1 and field 2
V	Play
C	Reverse play
spacebar	Stop
up arrow	Increase play speed while playing
down arrow	Decrease play speed while playing
T	Replay
Shift+T	Replay backwards
A	Go to in point
S	Go to out point
Ctrl+A	Go to first frame of clip
Ctrl+S	Go to last frame
Alt+A	Go to previous cue mark

Press:	To:
Alt+S	Go to next cue mark
Z	Go to previous transition
X	Go to next transition
Ctrl+Z	Go to previous keyframe
Ctrl+X	Go to next keyframe
Alt+Z	Go to beginning of current shot
Alt+X	Go to end of current shot
left arrow	Go to previous frame
right arrow	Go to next frame
right Alt	Mark in point
right Ctrl	Mark out point
9	Name clip
PgUp	Display Duration field
Home	Display Timewarp Speed field
Shift+space-bar+right Alt	Clear selected cue marks
Shift+space-bar+right Alt+right Ctrl	Clear all cue marks
Ctrl+Home	Enable or disable speed constraint
Ctrl+right Alt	Toggle in constraint
Ctrl+right Ctrl	Toggle out constraint
Ctrl-click	Reset audio

NOTE This functionality only works in context of AudioDesk or EQ desk.

Press:	To:
Alt-click	Bypass audio

NOTE This functionality only works in context of AudioDesk or EQ desk.

Reference Buffer Hot Keys

Use these hot keys to store a reference frame against which you can compare your current result.

Press:	To:
Ctrl+G	Grab current frame to store as reference buffer
Ctrl+F	Flush reference buffer
Ctrl+B	Toggle the split display on and off
Ctrl-click	Toggle the bar display Ctrl-click the bar to hide/show it.
Ctrl+Alt-click	Move the pivot point
Shift+Ctrl+G	Store and append the current clip display (above the split bar) to other frames stored in the reference buffer
Ctrl+num pad 5	View the most recently stored or selected frame in the reference buffer

TIP To view the previous or next frame in the buffer, press **num pad 4** or **num pad 6** while holding **Ctrl+num pad 5**.

Regrain Hot Keys

Use the following hot keys when working in the Regrain menu.

Press:	To:
F1	Switch to Front clip view
F2	Switch to Back clip view

Press:	To:
F3	Switch to Matte clip view
F4	Switch to Result clip view
F5	Switch to Player (after process)
0	Load
\	Process clip
Shift+0	Save
Q-click	Change RGB Radius X and Y values proportionally
P-click	Change single channel's values proportionally
Ctrl-drag	Sample image area (rectangular selection)
Backspace	Undo
D	Reset all
D+Enter	Reset all (no confirm)

Scrubbing Hot Keys

Use the following hot keys to scrub.

Press:	To:
Ctrl+Shift+C	Scrub audio backward
Ctrl+Shift+V	Scrub audio forward
Ctrl-scrub	Scrub with audio
Ctrl+Shift-scrub	Scrub all audio tracks with positioner
Alt-scrub	Fast scrub
Alt+Ctrl-scrub	2x scrub
Alt+Shift-scrub	2x scrub all audio tracks

Press:	To:
Alt+Ctrl+Shift-scrub	Fast scrub all audio tracks

Stabilizer Hot Keys

Use the following hot keys in the Stabilizer module.

Press:	To:
Ctrl	Scrub audio
PgDn	Switch to next page of trackers
PgUp	Switch to previous page of trackers
Shift+D	Delete current keyframe
Alt+S	Go to next cue mark
Alt+A	Go to previous cue mark
I	Set keyframe
F5	Switch to Player (after process)
F7	Open Setup menu
F8	Open Animation menu
]	Enable Auto Key
V	Play
C	Reverse play
\	Process
Ctrl+\	Analyse
spacebar	Stop
Ctrl+A	Go to start of clip
Ctrl+S	Go to end of clip

Press:	To:
left arrow	Go to previous frame
right arrow	Go to next frame
Ctrl+Z	Go to previous keyframe
Ctrl+X	Go to next keyframe
F1	Switch to Front clip view
F4	Switch to Result clip view
1	Work with Tracker 1
2	Work with Tracker 2
3	Work with Tracker 3
4	Work with Tracker 4
5	Work with Tracker 5
0 (zero)	Load
Shift+0	Save
Ctrl+right arrow	Step
L	Lock keyframe
E	Select Edit mode
G	Select Gang Edit mode
Alt+O (letter o)	Select Solo Edit mode
Alt+0 (zero)	Select last tracker
up arrow	Select previous tracker
down arrow	Select next tracker
Alt+I	Enable Icons
Shift+D	Delete current key

Press:	To:
Alt+D	Delete current keyframe and go to previous keyframe
Alt+P-click	Switch on proportional scaling
Alt+\	Show path
Ctrl-click	Pick reference
Alt-click	Pick shifts
Ctrl-click	Move image offsets
Backspace	Undo
D	Reset all

Text Hot Keys

Some hot keys are available either only in Edit Text mode or only in Move Layer mode. For more information on Text modes, refer to the “Text” chapter in the user's guide.

Press:	To:
A+spacebar	Add a point to a path
B+spacebar	Break a tangent
D+spacebar	Delete a point
M+spacebar	Move a point
U+spacebar	Select Auto Tangent mode
Alt+Shift+L	Select all layers
Alt+Ctrl+S	Go to next cue mark
Alt+Ctrl+A	Go to previous cue mark
Alt+0-9 , on the numeric keypad+ Enter Note: Hold Alt	Add a text symbol with ASCII code

Press:	To:
	throughout the entire operation
Alt+D+Enter	Reset all (no confirm)
Ctrl+6	Switch to Player (after process)
F7	Open Setup menu
F8	Open Animation menu
]	Enable Auto Key
Ctrl+ `	Exit Text module
Ctrl+Shift+0	Save a text file or style
Ctrl+Alt+0	Load text file or style
F2	Switch to Back clip view
F4	Switch to Result clip view
Ctrl+V	Play
Ctrl+C	Reverse play
Ctrl+ \	Process
Ctrl+ Shift+ \	Preview
Ctrl+Home	Toggle Home view on and off
Ctrl+Shift+space-bar-drag	Pan around viewing area
Ctrl+up arrow	Zoom in
Ctrl+down arrow	Zoom out
Ctrl+A	Go to start of clip
Ctrl+S	Go to end of clip
Ctrl+right arrow	Go to next frame

Press:	To:
Ctrl+left arrow	Go to previous frame
Ctrl+X	Go to next keyframe
Ctrl+Z	Go to previous keyframe
Home	Go to beginning of line
End	Go to end of line
Ctrl+PgUp	Go to beginning of text roll
Ctrl+PgDn	Go to end of text roll
PgUp	Go to previous page in text layer
PgDn	Go to next page in text layer
down arrow	Move cursor down
left arrow	Move cursor left
right arrow	Move cursor right
up arrow	Move cursor up
Esc	Toggle between Edit and Move modes
Alt+S	Resize selected characters (Resize mode)
Alt+K	Rekern selected characters (Rekern mode)
Alt+L	Change leading of selected lines in relative proportion to leading values already specified (Leading mode)
Alt+Y+up arrow ordown arrow	Change to Y offset mode and shift selected layer(s) along vertical axis (Y Offset mode)
Alt+Z+0-9, on the numeric keypad	Create a safe title and align selection within safe title overlay (Safe Title mode)
Alt+J+0-9, on the numeric keypad	Align multiple selected layers within selection (Align Sel mode)
Alt+N	Create a new layer

Press:	To:
Alt+F	Fit layer box to text
Tab	Select next layer
Shift+Tab	Select previous layer
Alt+Shift+A	Select all layers
Alt+Shift+left arrow	Bring layer to front
Alt+Shift+right arrow	Send layer to back
Shift-drag	Snap layer to X or Y axis to move in a straight line
up arrow	Move selected layer(s) 1 increment up
down arrow	Move selected layer(s) 1 increment down
left arrow	Move selected layer(s) 1 increment left
right arrow	Move selected layer(s) 1 increment right
Shift+ up arrow	Move selected layer(s) 10 increments up
Shift+down arrow	Move selected layer(s) 10 increments down
Shift+left arrow	Move selected layer(s) 10 increments left
Shift+right arrow	Move selected layer(s) 10 increments right
Alt+A	Select all characters in layer
Alt+P	Select all characters in paragraph
Shift+up arrow	Extend selection 1 line up
Shift+down arrow	Extend selection 1 line down
Shift+left arrow	Extend selection 1 character to left
Shift+right arrow	Extend selection 1 character to right
Shift+Home	Extend selection to beginning of current line

Press:	To:
Shift+End	Extend selection to end of current line
Ctrl+Shift+PgUp	Extend character selection to beginning of layer
Ctrl+Shift+PgDn	Extend character selection to end of layer
Alt+X	Cut selected text and styles (font, size, color, for example)
Alt+Shift+X	Cut selected text without character styles
Alt+C	Copy selected text and character styles
Alt+Shift+C	Copy selected text without character styles
Alt+V	Paste cut or copied text at insertion point
Alt+D	Delete selection (same as Delete Selected button)
Insert	Toggle between text insert and overwrite modes
Ctrl+Shift+F<n> , where n is 1-9	Define Style(n) button with current text selection
Ctrl+F<n> , where n is 1-9	Apply Style(n) to current text selection
Ctrl+D	Reset all
Shift+Backspace	Redo
Ctrl+Backspace	Undo

Timeline Hot Keys

Use the following hot keys in the timeline.

Multi-Master Editing Hot Keys

For 24p projects, use the following hot keys in the timeline.

Press:	To go to:
Ctrl+Shift+X	Next hybrid transition
Ctrl+Shift+Z	Previous hybrid transition

Copying and Pasting Hot Keys

Use the following hot keys in the timeline to perform copying and pasting operations.

Press:	To:
F-drag	Copy clip, element, or selection
Shift+F-drag	Copy clip (between in and out points) from Source Area to timeline
Ctrl+G	Insert into timeline (and delete clip from Source Area)
Shift+G	Insert into timeline and ripple destination elements to accommodate gap in source clip
Ctrl+ /	Copy transition clips to Source Area
Alt+T-click segment	Paste segment information into Filter Selection text fields
G	Insert clip into timeline
H	Overwrite shot in timeline
Ctrl+H	Overwrite shot in timeline (and delete clip from Source Area)
J	Replace shot in timeline
L	Perform an aligned edit
;	Append to shot in timeline
Shift+ ;	Prepend to shot in timeline

Press:	To:
Ctrl+;	Append to shot in timeline (and delete clip from Source Area)
Ctrl+Shift+ ;	Prepend to shot in timeline (and delete clip from Source Area)

Deleting and Clearing Hot Keys

Use the following hot keys in the timeline to perform deleting and clearing operations.

Press:	To:
Alt+D	Delete under cursor
Shift+D	Delete selection
Shift+space-bar+right Alt	Clear cue mark
Shift+space-bar+right Alt +right Ctrl	Clear all cue marks
spacebar+right Alt	Clear mark in
spacebar+right Ctrl	Clear mark out
* (keypad)	Clear all timeline selections
Ctrl+* (keypad)	Enable the Clear button in the Player (and then use the mark in, mark out, or cue mark hot key) to clear selected mark
Shift+* (keypad)	Enable the Clear all button in the Player (and then use the mark in, mark out, or cue mark hot key) to clear either the in and out marks, or all cue marks

Editing Hot Keys

Use the following hot keys in the timeline to perform editing operations.

General Editing Hot Keys

Use the following hot keys in the timeline to perform general editing operations.

Press:	To:
Ctrl+Delete	Remove a match frame edit to combine into a single element
Ctrl+J	Replace all selected elements (fit-to-fill edits are not supported with this hot key)
Ctrl+Enter	Add the element at the positioner to the current selection in the timeline
Ctrl-click	On Container button, create matte container
Alt-click an element	Display clip information for clip under cursor
Shift+G	Jog a clip to the timecode that you specify using the calculator. The calculator appears when you place the cursor over a clip and use this hot key.
spacebar+.	Extract for Action
Shift+J	Replace source media and keep soft effects
Shift+'(apostrophe)	Swap segments on timeline.
Ctrl+Shift-click	Sync Container/TL and Master/TL positioners in dual view mode
Shift+F	Cut a clip with in and out points to create a subclip
Alt+m	Toggle timeline Snap mode during gestural editing
Alt+H	Toggle phantom marks display
9	Display Name field for current selection
.(period)	Extract

Press:	To:
Shift+. (period)	Lift
/	Match
Ctrl+ . (period)	Extract and delete material
Shift+right Alt	Add cue mark
B+ right arrow or left arrow	Trim tail
N+ right arrow or left arrow	Trim head
Shift+ /	Mark in and out points (current shot)
right Alt+N	Trim head to in point
right Ctrl+N	Trim head to out point
spacebar+N	Trim head to positioner
right Alt+B	Trim tail to in point
right Ctrl+B	Trim tail to out point
spacebar+B	Trim tail to positioner
right Alt	Mark in point
right Ctrl	Mark out point
Shift-click	Trim audio subframe
Ctrl+Shift+C	Scrub audio backward
Ctrl+Shift+V	Scrub audio forward
Home	Audio timewarp
Alt+Ctrl-click an element in the timeline	Display trim calculator when in Trim mode
User-defined	Gang selected clips together

Press:	To:
User-defined	Ungang selected clips

Patch Panel Hot Keys

Use the following hot keys in the timeline to perform patch panel editing operations.

Press:	To:
(n), on thenumeric keypad, + Q, W, E, or R	Patch source audio(n) to audio track 1, 2, 3 or 4 respectively
(n), on thenumeric keypad, + Print Screen	Set Primary video track to video(n)
(n), on thenumeric keypad, + Scroll Lock	Set Secondary video track to video(n)

Soft Effects Editing Hot Keys

Use the following hot keys in the timeline to perform soft effects editing operations.

Press:	To:
Ctrl+#	Select a soft effect on the timeline
Alt+1	Create an Axis effect for currently selected video element
Alt+2	Create a Wipe effect for currently selected video element
Alt+3	Create a sparks effect for selected video element
Alt+4	Create a Colour Corrector effect for selected video element
Alt+5	Create a Timewarp effect for currently selected audio or video element
Alt+6	Create a Blend effect for selected video element
Alt+7	Create a Resize effect for selected video element

Press:	To:
Alt+8	Create a Text effect for selected video element
Ctrl+1	Copy an Axis effect from currently selected video element
Ctrl+2	Copy a Wipe effect from currently selected video element
Ctrl+3	Copy a sparks effect from selected video element
Ctrl+4	Copy a Colour Corrector effect from selected video element
Ctrl+5	Copy a Timewarp effect from currently selected audio or video element
Ctrl+6	Copy a Blend effect from selected video element
Ctrl+7	Copy a Resize effect from selected video element
Ctrl+8	Copy a Text effect from selected video element
Cut	Create a cut (transition) for selected track on selected layer
Shift+Cut	Create a cut (transition) for all tracks and layers
A	Go to start of Record Area clip
S	Go to end of Record Area clip
Z	Go to previous transition
X	Go to next transition
Alt+Z	Go to previous soft effect
Alt+X	Go to next soft effect
Shift+Insert	Create an Axis transition for all layers that have a transition at positioner
Insert	Create an Axis transition for selected layer at positioner (must have a transition at positioner)
Ctrl+Shift PgDn	Create a custom transition for all tracks and layers that have a head or tail at positioner

	Press:	To:
	Ctrl+PgDn	Create a custom transition for selected element on selected layer
	Shift+End	Create a Dissolve transition for all tracks and layers
	End	Create a Dissolve transition for selected track on selected layer
	Shift+PgDn	Create a Wipe transition for all tracks and layers
	PgDn	Create a Wipe transition for selected track on selected layer
	Alt+PgDn	Open the Wipe file browser
New	Ctrl+P	Toggle between Proxies and Full Res mode from the soft effect editors

Navigational Hot Keys

Use the following hot keys in the timeline to perform navigational operations.

	Press:	To:
	up arrow	Move focus point up
	down arrow	Move focus point down
	Ctrl+up arrow	Scroll up
	Ctrl+down arrow	Scroll down
	Shift+up arrow	Quick scroll up
	Shift+down arrow	Quick scroll down

Panning and Zooming Hot Keys

Use the following hot keys in the timeline to perform panning and zooming operations.

Press:	To:
Alt+E	Perform continuous zoom (horizontal)
Alt+R-drag	Perform rectangular zoom
spacebar-click	Perform continuous pan
Ctrl+left arrow	Pan left 10 frames
Shift+left arrow	Quick pan to left
Ctrl+ right arrow	Pan right 10 frames
Shift+ right arrow	Quick pan to right

Selection Hot Keys

Use the following hot keys in the timeline to perform selection operations.

Press:	To:
/ (on the numeric keypad)	Select all timeline elements
* (on the numeric keypad)	Deselect all timeline elements
Alt+`	Contain selection
Ctrl+1-click	Select Axis effect to copy to another layer
Ctrl+2-click	Select Wipe effect to copy to another layer
Ctrl+3-click	Select soft effect to copy to another layer
Ctrl+4-click	Select CC effect to copy to another layer
Ctrl+5-click	Select TW effect to copy to another layer
Ctrl+6-click	Select Blend effect to copy to another layer

Press:	To:
Ctrl+7-click	Select Audio Timewarp effect to copy to another layer
Alt+/,	Select between marks (current track)
Alt+Ctrl+/,	Select between marks (current layer)
Alt+Shift+/,	Select all tracks between marks
Ctrl-click	Select soft effect indicator
Shift+Enter	Add to current selection
Click element selectionhot spot	Select all tracks and layers
Alt-click element selectionhot spot	Deselect all tracks and layers
Alt+W	Rectangular (lasso) selection
Ctrl-click	Add to selection
Shift-click 2 separate elements	Select range between 2 elements

Timeline Options Hot Keys

Use the following hot keys in the timeline to perform timeline options operations.

Press:	To:
Ctrl+,	Enable or disable Link Cut
Ctrl+M	Enable or disable Link Transition
Ctrl+Shift+up arrow	Clear Edit Sync Offsets
Ctrl+Shift+down arrow	Resync Edit Sync selection
Ctrl+B	Ripple

Press:	To:
Shift+B	Enable and disable Trim
Ctrl+N	Lock
K	Ripple replace
Ctrl+Shift+left arrow	Create Edit Sync Group
Ctrl+Shift+right arrow	Remove Edit Sync Selection
Ctrl+Shift+/ spacebar+W	See if selected clip is used in timeline
spacebar+W	Enable waveform
spacebar+E	Disable waveform

Tracks and Layers Hot Keys

Use the following hot keys in the timeline to perform operations with tracks and layers.

Press:	To:
Ctrl-click track/ layer identifier	Hide layer
Ctrl-click V+ or L+ button	Insert Track/Layer After Focus
Ctrl+Shift+Tab	Add a layer to Primary video track
Alt-click a track/ layer identifier	Expand or collapse layer
Click track/layer identifier	Lock layer
Shift-click track/ layer identifier	Lock all layers

Press:	To:
Shift+Ctrl-click track/ layer identifier	Hide all layers
Tab	Lock video track 1
Q	Lock audio track 1
W	Lock audio track 2
E	Lock audio track 3
R	Lock audio track 4
Ctrl+Tab	Add a video track
Ctrl+Q	Add an audio track
Shift+Tab	Lock video track Source Area
Shift+Q	Lock A1 Source Area
Shift+W	Lock A2 Source Area
Shift+E	Lock A3 Source Area
Shift+R	Lock A4 Source Area
Shift+right Ctrl	Add segment mark
Shift+right Ctrl+spacebar	Clear segment mark

Transition Hot Keys

Use the following hot keys in the timeline to perform operations with transitions.

Press:	To:
Home	Add a timewarp
Delete	Add a cut

Press:	To:
Alt+Delete	Add splices at in and out marks (current track and layer), or, if no marks have been made, at in and out points of the current selection
Alt+Shift+Delete	Add splices at in and out marks (all tracks and layers), or, if no marks have been made, at in and out points of the current selection
End	Add a dissolve
PgDn	Add a wipe
Shift+PgDn	Create a wipe on all tracks
Alt+PgDn	Open the Wipe file browser
M+ right arrow or left arrow	Slide transition
Ctrl+M	Link transition
'(apostrophe)	Swap transition
, (comma)	Slip shot
Ctrl+ , (comma)	Link splice
Ctrl+PgDn	Create a custom transition
Ctrl+Shift+PgDn	Create a custom transition on all tracks
Shift+Delete	Create splice on all tracks
Shift+End	Create a dissolve on all tracks
Ctrl+ '	Swap transition (and delete clip from Source Area)
Shift+M	Resize transition
Shift+M+left arrow	Shrink transition
Shift+M+right arrow	Stretch transition

Press:	To:
Alt+ , + right arrow or left arrow	Slide shot
Shift+ ,	Slip shot on subframe basis when working with audio

Transport Control Hot Keys

Use the following hot keys in the timeline to perform transport control operations.

Press:	To:
Alt+Shift+S	Go to next cue mark on current layer
Ctrl+down arrow	Move focus point down without changing focus layer
down arrow	Move focus point down (focus layer updates)
Ctrl+up arrow	Move focus point up without changing focus layer
up arrow	Move focus point up (focus layer updates)
T	Replay
Shift+T	Reverse replay
Y	Switch to Replay mode
\	Process
A	Go to in point
Shift+A	Go to start of track
S	Go to out point
Shift+S	Go to end of track
Z	Go to previous transition on current track
X	Go to next transition on current track
C	Reverse play

Press:	To:
V	Play
spacebar	Stop play or process
left arrow	Go one frame backward
right arrow	Go one frame forward
Ctrl+A	Go to start of clip
Alt+Shift+A	Go to previous track cue mark
Alt+A	Go to previous cue mark
Ctrl+S	Go to end of clip
Alt+S	Go to next cue mark
Alt+Shift+S	Go to next track cue mark
Shift+X	Go to next transition on any track
Shift+Z	Go to previous transition on any track
Ctrl+Shift+A	Move the positioner to the start of the current container
Ctrl+Shift+S	Move the positioner to the end of the current container
Ctrl-click	Jog within current shot
Shift-click	Jog subframe

Viewing Hot Keys (Timeline)

Use the following hot keys in the timeline to perform viewing operations.

Press:	To:
Ctrl+ f5	Switch to History view and display clip history of the selected clip or element
Ctrl+Shift+F5	Switch to Large History view and display clip history of the selected clip or element

Press:	To:
F5	Switch to small Container view <hr/> NOTE Must be in Container view. <hr/>
Shift+F5	Switch to large Container view <hr/> NOTE Must be in Container view. <hr/>
	Switch to Frames view
Shift+F7	Switch to Container focus <hr/> NOTE Must be in Container view. <hr/>
F1	Switch to Storyboard view
F2	Toggle between Head and Tail
F3	Switch to Collapsed view
F4	Switch to Trim view
F5	Switch to Timeline view
Shift+F5	Switch to Large Record Timeline view
F6	Switch to Source Timeline view
Shift+F6	Switch to Large Source Timeline view
F7	Switch to Record focus
F8	Switch to Source focus
(n), on the numeric keypad+Print Screen	Make track(n) Primary video track
(n), on the numeric keypad+Scroll Lock	Make track(n) Secondary video track
Pause	Cycle view modes
Shift+=	View selection

Press:	To:
=	Reset to timeline home
Esc	Open Player
Ctrl+Esc	Open full-screen Player

Timewarp Editor Hot Keys

Use the following hot keys in the Timewarp Editor.

Press:	To:
\	Process
Backspace	Undo
Shift+Backspace	Redo

Wipe Editor Hot Keys

Use the following hot keys in the Wipe Editor.

Press:	To:
F1	Switch to Outgoing clip view
F2	Switch to Incoming clip view
F3	Switch to Matte clip view
F4	Switch to Result clip view
F7	Open Setup menu
F8	Open Animation menu
0 (zero)	Load
Shift+0	Save
\	Process
Esc	Toggle between Perspective and Schematic views

	Press:	To:
	1	Switch to Perspective view
	2	Switch to Front view
	3	Switch to Side view
	4	Switch to Top view
	5	Switch to Schematic view
New	Ctrl+C	Copy the selected node
	Shift+C	Close shape
	Ctrl+up arrow	Zoom in
	Ctrl+down arrow	Zoom out
	spacebar-drag	Pan around viewing area
	spacebar+E	Switch to Rotate mode
	spacebar+P	Switch to Parent mode
	spacebar+C	Switch to Create mode
	spacebar+W	Switch to Cut mode
	spacebar+O	Switch to Orbit mode
	D	Reset all
	Ctrl+Home	Reset to Home view